





Official Partner of the 2021-2024 Sports Season - International Judo Federation (IJF)



Impulse (Qingdao) Health Tech Co., Ltd.

Add: No. 369 Huashan 2nd road, Jimo, Qingdao, China Tel: 0086 532 85793158 or 0086 532 83958616 Fax: 0086 532 83958619 https://www.impulsefitness.com https://www.impulsehealthtech.com E-mail:sales@impulsefitness.com











# INTRODUCTION

In the early 1990s, Impulse began the production of fitness equipment. After nearly 30 years of experience accumulation, Impulse (Qingdao) Health Tech Co., Ltd. was established in 2004, focusing on the research, development, manufacturing and sales of fitness equipment. In September 2017, Impulse did IPO successfully in Shenzhen stock market. It achieved breakthrough in capital market and brought more financial support to R&D and manufacture of Impulse.

Our products cover both business and home user core demand. We provide innovative and high-quality indoor and outdoor products, including cardio equipment, strength equipment, functional training and rehabilitation training equipments, also with intelligent and innovative home use products. The forward-looking design concept and user demand focused are the features of Impulse product development. We are committed to providing the desired products and services at a sincere price, and the products have been sold across more than 200 countries and regions, and created global marketing and after-sale systems.

Impulse is a leading supplier in health industry. A perfect product and service system has been built in the fields of fitness equipment R&D, manufacturing, marketing and sales, club operation and health management. The Impulse new industrial park is under construction, the first phase of the project has a total investment of \$232 million USD and a total construction area of 168,995.98 square meters. It is expected that the annual output value of the project can be \$620 million USD after the project reaches full capacity.

We believe that the trust of customers comes from our pursuit of product excellence and exploration of customer needs. Therefore, Impulse is going to continue following the concept of customer first and quality priority in order to serve our business partners, and become reliable fitness expert trusted by global customers.



### **CARDIO**

TREADMILL	RT970 RT750 RT700 AC4050 AC4000 AC4015 AC8 PT300 AC2990 FGT300	3 5 7 9 11 13 15
STAIR	XSC750 XSC700	21
UPRIGHT BIKE	RU970 RU700 RU500 ECU7 GU500	25 27 29 31
RECUMBENT BIKE	RR970 RR700 RR500 ERU7 GR500	35 37 39 41
ELLIPTICAL	RE970 RE700 RE500 ECE5 FGE300	45 47 49 51
SPIN BIKE	PS460 PS450 PS300	55 57
ніт	HSR007 HSR005 HB005 HC005	61 65 67 69

### STRENGTH


	EXOFORM	71
	■ SL95	85
SELETORIZED	■ IT95	95
	■ IF93	109
	■ PL	119
	■ IT95	125
JUNGLE	■ SL95	129
	■ IF93	133
	■ ECP	135
PLATE LOADED	■ SL70	143
&	■ IFP	161
FREE WEIGHT	■ IT7	173
	■ IF	183
MULTI GYMS	■ES	195
&	■ IF HOME GYM	205
DAP	■ IFCC ■ IFFT	207
DAF	■ IF2011	208
AIR RESISTANCE	■ HSP-PRO	209
HYDRAULIC	≅ RL	211
	■MS	215
RACKS & RIGS	■ FF	221
&	■ HSP-PRO	225
PLATFORM	ZONE	227



# RT970 TREADMILL



Model	RT970
Certification	CE,ETL,EN957
Max User Weight	180kg/396lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	4HP
Motor Peak Power	6HP
Speed range	1-25km/h (1-15mph)
Incline range	0-15%
One Touch Buttons	3%,6%,9%,12%(Incline);3,6,9,12(Speed)
Handle bar Control	Yes
Console Display	21.5" TFT
Console Readouts	Heart rate, %Heart rate, Time in zone, Average Speed, Pace, Time Elapsed, %Time Remaining, Calories, Calories/Hour, Distance, Steps, Speed, Incline
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR
Metric/English	Metric/English
Touch Screen	Yes
Entertainment	Multiple built-in apps
Programs	Cardio, Random, Fatburn, Hills, Interval, HR, Fit test
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversable 1"Deck
Running surface	558×1524(mm)/22"×60"
Belt Thickness	1.6mm
Belt Brand	Habasit
Step-up Height	245mm <sup>™</sup>
Suspension System	Pulflex Commercial Suspension System
Accessory Storage	IPAD/Phone Holder/Magazine Holder/2 Bottle Holders
Charging Unit	Wireless
USB Data Exchange	Yes
Fan	Yes (3 speed level)
Multi-language Display	Yes
Gross Weight	266.8kg/588.2lbs
Net Weight	203kg/447.5lbs
Product Dimension	2078×950×1569(mm)/81.8"×37.4"×61.8"







Model	RT750	RT700
Certification	CE,ETL,EN957	CE,ETL,EN957
Max User Weight	180kg/396lbs	180kg/396lbs
AC/DC	AC	AC
Power Requirement	15A	15A
Electrical Receptacle & Plug	220-240V	220-240V
Motor Power	4HP	4HP
Motor Peak Power	6HP	6HP
Speed range	0.6-25km/h (0.6-15mph)	0.6-25km/h (0.6-15mph)
Incline range	0-15%	0-15%
One Touch Buttons	3%,6%,9%,12%(Incline); 3,6,9,12(Speed)	2%,5%,8%,(Incline);3,6,9(Speed)
Handle bar Control	Yes	Yes
Console Display	7 LED + Matrix 16×32	7 LED + Matrix 16×40
Console Readouts	Heart rate, %Heart rate, Time in zone, Average Speed,	Heart rate, Time Elapsed, Calories, Distance, Speed,
	Pace, Time Elapsed, %Time Remaining, Calories,	incline, 1/4 mile or 400 meters motivational track
	Calories/Hour, Distance, Steps, Speed, Incline	
Metric/English	Metric/English	Metric/English
Programs	Manual, Cardio, Interval Burn, Calories Heart Rate, Advanced	Manual, Cardio, Interval Burn, Calories Heart Rate, Advanced
HR Monitor	Contact&Telemetry	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversable 1"Deck	Reversable 1"Deck
Running surface	558×1524(mm)/22"×60"	558×1524(mm)/22"× 60"
Belt Thickness	1.6mm	1.6mm
Belt Brand	Habasit	Habasit
Step-up Height	245mm	245mm
Suspension System	Pulflex™ Commercial Suspension System	Pulflex™ Commercial Suspension Syste
Accessory Storage	IPAD/Phone Holder/Magazine Holder/ 2 Bottle Holders	IPAD/Phone Holder/Magazine Holder/ 2 Bottle Holders
USB Charger	Yes	No
Fan	Yes (3 speed level)	Yes (3 speed level)
Multi-language Display	Yes	No
Gross Weight	Box1: 232.2kg/510.8lbs Box2: 41.5kg/91.3lbs	Box1: 238.0kg/523.6lbs Box2: 35.0kg/77.0lbs
Net Weight	Box1: 176.7kg/388.7lbs Box2: 30.5kg/67.1lbs"	Box1: 179.1kg/394.0lbs Box2: 27.5kg/60.5lbs
Product Dimension	2078×950×1590(mm)/81.8"×37.4"×62.6"	2078×875×1513(mm)/81.8"×34.4"×59.6"
Packing size	Box 1: 2230×970×480(mm)/87.8"×38.2"×18.9"	Box 1: 2230×970×480(mm)/87.8"×38.2"×18.9
	Box 2: 1145×1105×390(mm)/45.1" ×43.5"×15.4"	Box 2: 975×965×280(mm)/38.4"×38.0"×11.0"
40HQ	/	51Sets
40GP	40Sets	42Sets





Model	AC4050
Certification	CE
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Speed range	1-22km/h
Incline range	0 to 15%
One Touch Buttons	3%,6%,9%(Incline);3,6,9(Speed)
Console Display	21.5"Touch Screen
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversable 1"Deck
Running surface	545×1524(mm) / 21.5"× 60"
Belt Thickness	2.3mm
Step-up Height	260mm
Suspension System	Pulflex Commercial Suspension System
Accessory Storage	IPAD/Phone Holder/Magazine Holder/ 2 Bottle Holders
Charging Unit	Wireless
Fan	Yes (3 speed level)
Product Dimension	2102×950×1593(mm)
	82.7"×37.4"×62.7"
Packing size	Box 1: 2260×930×490(mm)
	89.0"×36.6"×19.3"
	Box 2: 1145×1095×380(mm)
	45.1" ×43.1"×15.0"
40HQ	44Sets
40GP	40Sets







The 18.5-inch large console created by the new design language features convenient operation and entertainment functions. The 60 degrees tilted panel provides the best viewing Angle and comfortable experience. (AC4000)



50x185x2.5mm oversized column is adopted to ensure the stability of the console during movement, when the speed reaches 20km/h, the vibration amplitude of the motor is less than 0.003mm.



The motor cover adopts a flat design to make it more integrated with the frame of the running platform and more concise and hardcore in appearance.

On this basis, the column cover is added and the lower end of the column is wrapped in the motor cover to make the column and running platform perfectly integrated.



Considering the safety of the product, the manufacturing process of the edge strip is upgraded from PVC extrusion to ABS injection molding, which increased the friction coefficient and enhanced the anti-slip performance.

Model	AC4000/4015
Certification	CE
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	ЗНР
Speed range	1-22km/h
Incline range	0 to 15%
One Touch Buttons	3%,6%,9%(Incline);3,6,9(Speed)
Console Display	LED
Console Readouts	Time, Avg Speed, Heart Rate, Distance, Steps, Calories, Cal/Hour, Speed, Incline, 1/4 mile or 400 meters motivational track
Metric/English	Metric&English
Programs	Manual, Cardio, Heart Rate, Interval, Burn Calories, Target
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversable 1"Deck
Running surface	545×1524(mm) / 21.5"× 60"
Belt Thickness	2.3mm
Step-up Height	260mm
Suspension System	Pulflex Commercial Suspension System
Accessory Storage	IPAD/Phone Holder/Magazine Holder/ 2 Bottle Holders
USB Charger	Yes
Fan	Yes (3 speed level)
Gross Weight	Box1: 231kg/508.2lbs Box2: 35.8kg/78.8lbs
Net Weight	Box1: 173kg/380.6lbs
Product Dimension	Box2: 30kg/66lbs 2102×950×1592(mm)
	81.7"×37.4"×62.6"
Packing size	Box 1: 2230×970×480(mm)
	87.8"×38.2"×18.9"
	Box 2: 1145×1105×390(mm)
	45" ×43.5"×15.4"
40HQ	44Sets
40GP	40Sets



Rubber spring cushioning system offers superior shock absorption, promoting joint protection for lower limbs. With a two-stage buffering structure, it automatically adjusts to users of different weights, providing enhanced joint protection.



Phenolic resin coating on the treadmill belt provides durability, self-lubrication, and extended lifespan.




Designed with incline settings ranging from 0 to 20%, offering users a broader range of incline training options.




Symmetrical inward sloping design of the foot pedal edges ensures reliable safety protection for users.



Equipped with Bluetooth module for connectivity to apps like Zwift, enabling training and data collection.







AC800 TREADMILL

Model	AC850/AC810/AC800
Power Requirement	16A
Electrical Receptacle & Plug	220-240V AC
AC/DC	AC
Motor Power	3HP
Max User Weight	150KG/330lbs
Speed Range	0-20KM/H
Incline Range	0-20%
Step-up Height	276MM
Deck	25.4MM
Running Surface	560×1550mm/ 22.0"×61.0"
Belt Thickness	2.3mm
Suspension System	Two-stage Buffering
Accessory Storage	Ipad/Iphone Holder/Magazine Holder/ 2 Bottle Holders
Console Display	21.5" TFT (AC850 Only)/6LED+DOT MATRIX
HR Monitor	Contact & Telemetry
Console Readouts	Speed、Incline、Distance、Time、HR、Calories
Fan	Yes
Wireless Charging	Yes (AC850/810 Only)
Filter	Yes (AC850/810 Only)
Bluetooth	Yes (AC850/810 Only)
Product Dimension	2126×933×1598mm/ 85.0"×36.7"×62.9"
40HQ	44
40GP	40



Model	PT300
Certification	CE,ETL,EN957
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Motor Peak Power	4.5HP
Speed range	0.6-20km/h (0.6-12mph)
Incline range	0-15%
One Touch Buttons	2%,4%,6%,8%,10%,12%(incline),
	2,4,6,8,10,12(Speed)
Console Display	6 LED + Matrix 16×40
Console Readouts	Heart rate, Time Elapsed, Calories, Distance,
	Speed, incline, 1/4 mileor 400 meters
	motivational track
Metric/English	Metric&English
Programs	5 Preset, 3 Targets, 2 User, 3 HR
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversable 1"deck
Running surface	545×1524(mm) / 21.5"× 60"
Belt Thickness	2.3mm
Step-up Height	260mm
Suspension System	Pulflex™ Commercial Suspension System
Accessory Storage	Phone Holder/ 2 Bottle Holders
Fan	Yes (3 speed level)
Gross Weight	Box1: 223.8kg/492.4lbs Box2: 39.5kg/86.9lbs
Net Weight	Box1: 180.2kg/396.4lbs Box2: 30.9kg/68.0lbs
Product Dimension	2136×934×1464(mm)/84.1"×36.8"×57.6"
Packing Size	Box 1: 2260×930×550(mm)/89.0"×36.6"×21.7"
	Box 2: 1265×1050×350(mm)/49.8"×41.3"×13.8"
40HQ	41Sets
40GP	36Sets







The 3D fixed upright can easily eliminate the abnormal sound and console shaking along with the running. At the same time, move the upright to the front can create a wide running environment and eliminate visual obstacles.



Taking full consideration of the commercial long running situation, the dustproof heat dissipation holes are designed in the console and the motor cover to dissipate heat from the electrical part and prevent the aging problem.



The platform structure was upgraded on the basis of AC2970 to improve the stability and safety. The replacement of a more advanced console surface material is all about enhancing the product's durability.



Ergonomic handle design; more quick buttons and a larger phone/tablet holder for a more comfortable user experience.

Model	AC2990
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Motor Peak Power	4.5HP
Speed range	1-20km/h
Incline range	0 to 15%
One Touch Buttons	2%,4%,6%,8%,10%,12%(Incline);2,4,6,8,10, 12(Speed)
Console Display	6 LED + Matrix 8×16
Console Readouts	Time, Avg Speed, Heart Rate, Distance, Steps Calories, Cal/Hour, Speed, Incline.
Metric/English	Metric&English
Programs	Manual mode; Target mode: time, distance and calories; Standard mode: P1-P5; User mode:
HR Monitor	Contact
Roller Diameter	Front:76.5mm/3" Back:76.5mm/3"
Deck	Reversable 1"Deck
Running surface	560×1524(mm)/ 22.0"×60.0"
Belt Thickness	2.3mm
Step-up Height	250mm
Suspension System	Pulflex Commercial Suspension System
Accessory Storage	Phone Holder/ 2 Bottle Holders
Gross Weight	239.7kg/527.3lbs
Net Weight	170.3kg/374.7lbs
Product Dimension	2206×923×1579(mm)
	86.9"×36.3"×62.2"
Packing Size	BOX1:2320×955×530(mm)
	91.3"×37.6"×20.9"
	BOX2:1025×1015×360
	40.3"×40.0"×14.1"
40HQ	44
40GP	37

\* The right of specific weight to actual supply prevail.



Model	FGT300
Max User Weight	150kg
Power Requirement	220V/10A
Motor Power	2.5HP
Motor Peak Power	5.0HP
Speed Range	0.5-18km/h
Incline Range	0-15% (15 levels)
Suspension System	10-Point Full Deck Suspension System
Console	5 LED windows +16×32 Matrix
Console Readouts	Speed、Incline、Time、Distance、Calories、HR
HR Monitor	Contact
Quick Button	8 Direct Speed Selection Buttons
Preset Program	24
Target Program	3
Custom Program	3
Fit Test Program	1
Charging Unit	Wireless
Accessory Storage	Pad Phone Holder/Bottle Holder
Product Dimension	1856×811×1546mm/73.1×31.9×60.9(in)
Packing Dimension	2230×910×450mm/87.8×35.8×17.7(in)
Running Surface	520×1700mm/20.5×66.9(in)
Net Weight	115kg/253.5lbs
Gross Weight	133kg/293.2lbs
Deck Thickness	20mm
Belt Thickness	1.8mm



### **Bottom-mounted Motor Design**

Utilizing a bottom-mounted motor design, the running belt seamlessly extends across the entire deck, significantly enhancing belt utilization. This innovative approach increases the running space by 20%, providing an expansive 520mm imes 1700mm area for an unobstructed and enjoyable running experience.




Model	XSC750/700
Certification	CE
Maximum User Weight	160kg/352lbs
Power Requirement	10A
Electrical Receptacle & Plug	100-240V
Resistance System	Plug-in Magnetic Resistance
Resistance Brake Power	700w
Resistance Levels	20
Speed Range	25-158steps/min
Step Length	559mm/22.0"
Step Width	254mm/10"
Step Height	202mm/8.0"
Heart Rate Monitor	Contact&Telemetry
Console Display	Touch Screen/LED + Dot Matrix
Console Readouts	Time,Steps,Calories,Speed,
	Heart Rate,Gear Level
Default Programs	Quick Start, Climbing 1-5, Interval 1-5
Target Programs	Time,Distance,Calories
HRC Programs	Target HR,Interval HR
Custom Programs	Custom Distance, Custom Climbing,
	Custom Interval
Touch Screen	Optional
Charging Unit	Wireless
Packing form	Wooden Box
Accessory Storage	Cup Holder, Magazine Holder,
	Phone Holder
Product Dimension	1421×928×2248(mm)
	55.9"×36.5"×88.5"
Product Weight	206.4kg/455.0lbs
40GP Container Count	16



XSC700 STAIR CLIMBER

# RU970 UPRIGHT BIKE






Model	RU970
Certification	CE
Max User Weight	180kg/396lbs
Electrical Receptacle & Plug	220V-240V
Brake Type	Self powered hybird brake
Resistance Brake Power	450W
Resistance Levels	25
Crank	Oversized
Pedal	Oversize dual-sided pedals
	with integrated straps
Flywheel Weight	9kg
Handle bar Control	3 riding positions, with contact
	heart rate grips and
	on-your-finger-tips control
Console Display	15.6" TFT
Console Readouts	Resistance, time, distance,
	calories, HR, RPM
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KF
Metric/English	Metric&English
Entertainment	Multiple built-in apps
Programs	5
HR Monitor	Contact&Telemetry
Accessory Storage	Yes
Charging Unit	Wireless
USB Data Exchange	Yes
Multi-language Display	Yes
Gross Weight	87.8kg/193.6lbs
Net Weight	67.5kg/148.8lbs
Product Dimension	597×1092×1505(mm)
	23.5"×43.0"×59.3"






Model	RU700	RU500
Certification	ETL/CE/EN957	ETL/CE/EN957
Max User Weight	180kg/396lbs	160kg/352lbs
Electrical Receptacle & Plug	No	No
Brake Type	Self Powered Hybrid Brake	Self Powered Hybrid Brake
Resistance Brake Power	300W	300W
Resistance Levels	25	20
Crank	Oversized	Standard
Pedal	Oversize dual-sided pedals with integrated straps	Single sided weighted pedal
Flywheel Weight	9kg	8kg
Handle bar Control	3 riding positions, with contact heart rate grips and on-your-finger-tips control	3 riding positions, with contact heart rate grips
Console Display	6 Windows+Dot Matrix	7Windows+Dot Matrix
Console Readouts	Distance, time, speed, watt, calories, heart rate	Distance, time, speed, watt, calories, RPM, heart rate
Metric/English	Metric&English	Metric&English
Programs	7	11
HR Monitor	Contact&Telemetry(polar)	Contact&Telemetry
Accessory Storage	Yes	Yes
Special Features	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service
Gross Weight	84.8kg/186.6lbs	81.0kg/178.2lbs
Net Weight	67.0kg/147.4lbs	68.0kg/149.6lbs
Product Dimension	1093×602×1493(mm)/43.0"×23.7"×58.8"	1093×660×1492(mm)/ 43.0"×26.0"×58.7"
Packing Size	1160x405×870(mm)/ 45.7"×15.9"×34.3"	1160×405×870(mm)/ 45.7"×15.9"×34.3"
40HQ	172Sets	172Sets



### ECU7 UPRIGHT BIKE



User-friendly console with keypad and scrolling LED window, multiple workout programs and unique heart rate zone programs.





Dual oversized water bottle holders and mobile phone pocket conveniently located for those long bike rides.




Ergonomic single-hand seat adjustment makes easy to find the right position.

≅ACOS≅



Easy to service shroud design allows for convenient maintenance.



Model	ECU7	
Certification	CE	
Max User Weight	150kg/330lbs	
Brake Type	Self-generating	
Resistance Brake Power	300W	
Resistance Levels	20	
Crank	Standard	
Pedal	Weighted pedal with skate-style clip	
Flywheel Weight	8kg	
Handle bar Control	3 riding positions, with contact heart rate grips	
Console Display	6 LED windows +dot Matrix LED	
Console Readouts	Speed, Time, Calorie, RPM, Distance, Heart rate, Resistance, etc.	
Metric/English	Metric&English	
Programs	12	
HR Monitor	Contact&Telemetry	
Accessory Storage	Yes	
Special Features	On-your-finger-tips, ergonomically designed handle bars,	
	two-sided pedals, k-o-p-s biomechanics, easy to service	
Gross Weight	78.5kg/172.7lbs	
Net Weight	67.4kg/148.3lbs	
Product Dimension	1132×628×1478(mm)/ 44.6"×24.7"×58.2"	
Packing Size	1155×445×730(mm)/45.5"×17.5"×28.8"	
40GP	156Sets	

# GU500 UPRIGHT BIKE






Model	GU500
Power Supply	300W
Product Dimension	1164×608×1511(mm)/45.8"×23.9"×59.5"
Resistance Levels	20
Resistance System	Magnetic
HR Monitor	Contact
Max User Weight	120kg/264.6lbs
Net Weight	58kg/127.9lbs
Console Display	7''LCD
Programs	13



# RR970 RECUMBENT BIKE





Model	RR970
Certification	CE
Max User Weight	180kg/396lbs
Electrical Receptacle & Plug	220V-240V
Brake Type	Self powered hybird brake
Resistance Brake Power	450W
Resistance Levels	25
Crank	Oversize
Pedal	Oversize dual-sided pedals
	with integrated straps
Flywheel Weight	9kg
Handle bar Control	Ergonomically designed seat-side
	handles with contact heart rate
	girps on-your-finger-tips control
Console Display	15.6" TFT
Console Readouts	Resistance, time, distance,
	calories, HR, RPM
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR
Metric/English	Metric&English
Entertainment	Multiple built-in apps
Programs	5
HR Monitor	Contact&Telemetry
Accessory Storage	Yes
Charging Unit	Wireless
USB Data Exchange	Yes
Multi-language Display	Yes
Gross Weight	106.5kg/234.8lbs
Net Weight	88.6kg/195.3lbs
Product Dimension	638×1651×1366(mm)
	25.1"×65.0"×53.8"





Model	RR700	RR500
Certification	ETL/CE/EN957	ETL/CE/EN957
Max User Weight	180kg/396lbs	160kg/352lbs
Brake Type	Self Powered Hybrid Brake	Self Powered Hybrid Brake
Resistance Brake Power	300W	350W
Resistance Levels	25	20
Crank	Oversized	Standard
Pedal	Oversize dual-sided pedals with integrated straps	Single sided weighted pedal
Flywheel Weight	9kg	9kg
Handle bar Control	ErgoNomically designed seat-side handles with contact heart rate grips on-your-finger-tips control	ErgoNomically designed seat-side handles with contact heart rate grips on-your-finger-tips control
Console Display	6 Windows+Dot Matrix	7Windows +Dot Matrix
Console Readouts	Distance, time, speed, watt, calories, heart rate	Distance, time, speed, watt, calories, RPM, heart rate
Metric/English	Metric&English	Metric&English
Programs	7	11
HR Monitor	Contact&Telemetry(polar)	Contact&Telemetry
Accessory Storage	Yes	Yes
Special Features	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service, walk-through design	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service, walk-through design
Gross Weight	104.6kg/230.1lbs	100.7kg/222lbs
Net Weight	83.0kg/182.6lbs	79.0kg/173.8lbs
Product Dimension	1651×638×1383(mm)/65.0"×25.1"×54.4"	1651×638×1383(mm)/65.0"×25.1"×54.4"
Packing Size	1615×370×850(mm)/63.6"×14.6"×33.5"	1615×370×850(mm)/ 63.6"×14.6"×33.5"
40HQ	129Sets	129Sets



### ECR7 RECUMBENT BIKE



easy seat adjustments.



Model	ECR7
Certification	CE
Max User Weight	150kg/330lbs
Brake Type	Self-generating
Resistance Brake Power	300W
Resistance Levels	20
Crank	Standard
Pedal	Weighted pedal with skate-style clip
Flywheel Weight	8kg
Handle bar Control	Ergonomically designed seat-side handles with contact heart rate
Console Display	6 LED windows + dot Matrix LED
Console Readouts	Speed, Time, Calorie, RPM, Distance, Heart rate, Resistance, etc.
Metric/English	Metric&English
Programs	12
HR Monitor	Contact&Telemetry
Accessory Storage	Yes
Special Features	On-your-finger-tips, ergonomically designed handle bars, two-sided pedals, k-o-p-s biomechanics, easy to service
Gross Weight	100.7kg/ 221.5lbs
Net Weight	83.2kg/183.0lbs
Product Dimension	1670×634×1326(mm)/65.7"×25.0"×52.2"
Packing Size	1775×445×730(mm)/70.0"×17.5"×28.7"
40GP	96Sets

# GR500 RECUMBENT BIKE







Model	GR500
Power Supply	300W
Product Dimension	1671×643×1244 (mm) /65.8"×25.3"×49.0"
Resistance Levels	20
Resistance System	Magnetic
HR Monitor	Contact
Max User Weight	120kg/264.6lbs
Net Weight	72.5kg/159.8lbs
Console Display	7''LCD
Programs	13



# RE970 ELLIPTICAL






Model	RE970
Certification	CE
Max User Weight	160kg/352lbs
Electrical Receptacle & Plug	220V-240V
Power Supply	60W
Brake Type	Self Powered Hybird Brake
Resistance Brake Power	350W
Resistance Levels	25
Electrical Receptacle & Plug	Yes
Stride Length	533mm/21"
Pedal	Pedal with cushioned gel pads
Pedal Spacing	1"
Step-up Height	190mm/7.5"
Handle bar Control	Handle bar Control;
	ABS+TPU coated handlebars
Console Display	15.6" TFT
Console Readouts	Resistance, time, distance,
	calories, HR, RPM
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR
Metric/English	Metric&English
Entertainment	Multiple built-in apps
Programs	5
HR Monitor	Contact&Telemetry
Accessory Storage	Yes
Charging Unit	Wireless
JSB Data Exchange	Yes
Multi-language Display	Yes
Gross Weight	174.9kg/385.6lbs
Net Weight	118kg/260.1lbs
Product Dimension	742×2113×1610(mm)
	29.2"×83.2"×63.4"





Model	RE700	RE500
Certification	CE,ETL,EN957	CE,ETL,EN957
Max User Weight	160kg/352lbs	160kg/352lbs
Electrical Receptacle & Plug	No	No
Brake Type	Self Powered Hybrid Brake	Self Powered Hybrid Brake
Resistance Brake Power	350W	350W
Resistance Levels	25	20
Stride Length	533mm/21"	533mm/21"
Pedal	Pedal with cushioned gel pads	Pedal with cushioned gel pads
Pedal Spacing	1"	1"
Step-up Height	190mm/7.5"	190mm/7.5"
Handle bar	Handle bar Control; ABS+TPU coated handlebars	PVS handlebars
Console Display	6 Windows+Dot Matrix	7 Windows+Dot Matrix
Console Readouts	Speed, Time, Calorie, RPM, Distance, Heart rate,	Speed, Time, Calorie, RPM, Distance, Heart rate,
	Resistance, etc.	Resistance, etc.
Metric/English	Metric&English	Metric&English
Programs	7	11
HR Monitor	Contact&Telemetry	Contact&Telemetry
Accessory Storage	Cup holder, Magazine Holder, Phone Holder	Cup holder, Magazine Holder, Phone Holder
Special Features	On-your-finger-tips, Ergonomically designed	On-your-finger-tips, Ergonomically designed
	handle bars, Easy to service	handle bars, Easy to service
Gross Weight	174.5kg/383.9lbs	175.4kg/385.9lbs
Net Weight	118.1kg/259.8bs	119.4kg/262.7lbs
Product Dimension	2180×742×1610(mm)/ 85.8" ×29.2"×63.4"	2180×742×1610(mm)/ 85.8" ×29.2"×63.4"
Packing Size	2220×650×1090(mm)/87.4"×25.6"×42.9"	2220×650×1095(mm)/87.4"×25.6"×43.1"
40GP	36Sets	36Sets



### ECE5 ELLIPTICAL







Model	ECE5
Certification	CE
Max User Weight	150kg/330lbs
Brake Type	Self Powered Hybrid Brake
Resistance Brake Power	350W
Resistance Levels	20 Levels
Stride Length	508mm/20"
Pedal	Pedal with cushioned gel pads
Pedal Spacing	75mm/2.95"
Step-up Height	250mm/9.84"
Handle bar Control	Yes
Console Display	6 LED windows + dot Matrix LED
Console Readouts	Speed, Time, Calorie, RPM, Distance,
Metric/English	Heart rate, Resistance, etc.  Metric & English
Programs	8 Preset, 4 Targets, 1 User
HR Monitor	Contact&Telemetry
Accessory Storage	Cup holder, Magazine Holder, Phone Holder
Gross Weight	162.2kg/356.8lbs
Net Weight	119.6kg/263.1lbs
Product Dimension	1849×812×1800(mm)/72.8"×31.9"×70.9"
Packing Size	1150×765×1110(mm)/45.3"×30.1"×43.7"
40HQ	60Sets

maintenance.

allows for convenient

### FGE300 **ELLIPTICAL**



### Concealed Capacitive Touch LED Mirror Screen

Featuring a concealed capacitive touch button design for responsive and pressure-free interactions, enhancing

The screen, in its powered-off state, seamlessly blends into a unified black mirror surface, elevating the overall



### Convenient Fingertip Control System

Featuring both fixed and dynamic training dual-position handlebar design, allowing free selection of handlebar positions based on different training modes.

The fixed handlebar position includes a resistance adjustment button for quick intensity customization.

Model	FGE300
Console	4 LED Windows+8*20 Matrix
Program	12 Preset Programs, 5 Custom Programs (U0~U4), 1 Constant Power Program, 4 HR Programs, 5 Target Programs (Time, Distance, Calories, Power, HR), 1 HR Recovery Test
Console Readouts	Speed、RPM、Distance、Calories、Power、 Time、Resistance Level、HR
Power Requirement	Self-generating
Resistance	32 Levels Electromagnetic Resistance System, 250W
Flywheel	10.8kg( Self-generating Module )
Stride Length	20"(508mm)
Pedal Distance	255mm
Step-up Height	330mm
Sliding Rail	4
HR Monitor	Contact
Quick Button	6 Direct Resistance Selection Buttons + Fingertip Control System
Product Dimension	1750×630×1900mm/68.9×24.8×74.8(in)
Packing Dimension	1840×560×825mm/72.4×22.0×32.5(in)
Max User Weight	150kg/330.7lbs
Net Weight	115kg/253.5lbs
Gross Weight	133kg/293.2lbs

### 250W Self-Generating Electromagnetic Resistance System + 32-Level Resistance Adjustment

- 250W Self-Generating Resistance System: Satisfy high-intensity training needs; the self-generating system is environmentally friendly, eliminating the need for external power sources, providing flexibility in placement without being constrained by power outlet locations.
- @ 32-Level Fine-tuned Resistance Levels: Precise resistance adjustment for smooth transitions, coupled with various training modes to meet diverse training requirements.





### PS460 SELF-GENERATING MAGNETIC CYCLE

Resistance System	Magnetic
Resistance Power	400W
Resistance Level	1-20
Emergency Stop	Push
Flywheel	Aluminum
Flywheel Weight	3.5kg
Pulley	Aluminum
Drivetrain	Belt
Drivetrain Ratio	1:10
Frame Material	Steel
Adjustment Type	Aluminum
Pedal	Dual-sided vp pedal
Shaft	φ25
Bearing	TPI
Handlebar	Multi-position, Soft PVC
Handlebar Adjustment	Vertical&Horizontal
Saddle	Ultra-padded sport saddle
Saddle Adjustments	Vertical&Horizontal
Console Display	4.3"LCD
Console Readouts	Resistance Level, Time,
	Speed(AVG/MAX), Distance,
	Watt(AVG/MAX), RPM(AVG/MAX),
	Heart Rate(AVG/MAX), Calories
Water Bottle Holder	Double
Maximum User Weight	150kgs/330lbs
Gross Weight	56.6kg/124.8lbs
Net Weight	50.3kg/110.9lbs
Product Dimension	1317×604×1057(mm)
	51.9"×23.8"×41.6"
Packing size	1310×315×1000(mm)
	51.6"×12.4"×39.4"



PS450



Resistance System	Magnetic
Emergency Stop	Push
Flywheel	Aluminum
Flywheel Weight	3.5kg
Pulley	Aluminum
Drivetrain	Belt
Drivetrain Ratio	1:10
Frame Material	Steel
Adjustment Type	Aluminum
Pedal	Dual-sided vp pedal
Shaft	ф25
Bearing	TPI
Handlebar	Multi-position, Soft PVC
Handlebar Adjustment	Vertical&Horizontal
Saddle	Ultra-padded sport saddle
Saddle Adjustments	Vertical&Horizontal
Water Bottle Holder	Double
Maximum User Weight	150kgs/330lbs
Gross Weight	56.6kg/124.8lbs
Net Weight	50.3kg/110.9lbs
Product Dimension	1272×604×1057(mm)
	50.1"×23.8"×41.6"
Packing size	1310×315×1000(mm)
	51.6"×12.4"×39.4"













Handlebar

Vertically adjustable with nice hand feeling. Multiple handle positions can meeting various training needs.

- Brake Reliable Nylon nob brake. Coated steel cup holder is easy to access.
- Seat Precision casting seat part combined with chromium-plated steel adjusting tube make it easy to adjust position. Ergonomic seat pad provides comfortable training.


Frame

Double-oval tube and anti-rust steel frame makes extraordinary appearance.

Resistance Long-lasting pedals and classic fly wheel driving system brings nice training experience to users.

### **PS300 SPINNING BIKE**


Resistance System	Wool brake
Emergency Stop	Push
Flywheel Weight	20kg/44lbs
Drivetrain	Chain
Pedal	Dual-sided vp pedal
Handlebar	Multi-position,Soft PVC
Handlebar Adjustment	Vertical & Horizontal
Max User Weight	150kg/330lbs
Gross Weight	66.3kg/145.9lbs
Net Weight	58.0kg/127.6lbs
Product Dimension	1188×528×1170(mm)
	46.8"×20.8"×46.1"
Packing Size	1100×330×870(mm)
	43.3"×13.0"×34.3"
40HC Container Count	222






# MARS (Magnetic & Air Resistance System)







SKI & ROW Multiple Training Machine MARS (Magnetic & Air Resistance System) add a further resistance to the air resistance. The MARS system has 20 precise resistance levels.

Through the console, users can easily adjust the resistance at all time.

Model	HSR007	
Maximum User Weight	150kg / 330lbs	
Drive Model	Belt	
Handlebar Design	Rowing Bar & Skiing Bar	
Flywheel Weight	4.1kg	
Special Features	Provided Rowing & Skiing Training	
Resistance Design	MARS (Magnetic & Air Resistance System)	
Resistance Power	300W	
Resistance Levels	20	
Console Display	5" LCD display with 8 readout windows	
Console Readouts	Time, Stroke Rate, Pace, Distance, Watts, Calories, Heart Rate, Level	
Programs	5(Time/Distance/Calorie Target, Interval Time/Distance)	
HR Monitor	Bluetooth、ANT+	
Power Requirements	4 C cell batteries	
Product Dimension	Horizontal Form: $2620 \times 883 \times 1060 \text{(mm)}/103.1" \times 34.8" \times 41.7"$ Vertical Form: $1360 \times 883 \times 2140 \text{(mm)}/53.5" \times 34.8" \times 84.3$	
Seat Height	513mm/ 20.2"	
Monorail	1663mm/ 65.5" (Aluminum)	
Net Weight	66.5kg/147lbs	
Packing Size	Box 1: 1805×565×170(mm)/71.1"×22.2"×6.7"	
	Box 2: 1075×575×680(mm)/42.3"×22.6"×16.8"	
40HQ Container Count	108	

### Space Saving Design


Thanks to the innovative design, the folded SKI & ROW Multiple Training Machine saves 48% space comparing withrowing form. Therefore, the SKI & ROW Multiple Training Machine as a commercial grade equipment is also suitable for the small fitness studio or residential.






Model	HSR005
Maximum User Weight	150kg / 330lbs
Drive Model	Chain
Handlebar Design	Rowing Bar
Special Features	Provided Rowing
Resistance Design	Air Resistance
Console Display	5" LCD display with 8 readout windows
Console Readouts	Time, Stroke Rate, Pace, Distance, Watts, Calories, Heart Rate, Level
Programs	5(Time/Distance/Calorie Target, Interval Time/Distance)
HR Monitor	Bluetooth、ANT+
Power Requirements	4 C cell batteries
Product Dimension	2240×365×1060(mm) 88.2"×14.4"×41.7"
Seat Height	513mm/ 20.2"
Monorail	1463mm/ 57.6" (Aluminum)

Ergonomic seat enables users to train comfortably. Light-weight aluminum and stainless steel made slide rail allows users to train intensively and provide a low maintenance





68



The resistance is delivered by fan, which is driven by power and speed pedal along with two handles that move back and forth. Users are able to determine intensity








26 ABS blades molded into one piece which makes it stabilized and more quiet than traditional steel blades in using condition.









Model	HB005
Maximum User Weight	150kg / 330lbs
Resistance	Air Resistance
Drive Model	Belt Drive
Pedals & handle bars	Synchronized Motion
Pedals	Double Faced Aluminum Alloy
Footholds	Aluminum
Crank	Oversize
Console Display	5"LCD Screen
Console Readouts	Time, Speed/Average Speed, Calories/Average Calories, Distance, RPM/Average RPM, Watt/Average Watt, Heart Rate/ Average Heart Rate
Programs	3 target programs (Time, Distance, Calories), 3 Heart Rate Programs (65%,75%,85%), 4 Interval Programs (3 time interval and 1 distance interval)
Heart Rate Monitor	Bluetooth、ANT+
Cup Holder	Yes
Fan Size	26 inches
Fan Blades	26 ABS Curved blades
Power Requirements	4 C Cell batteries
Product Dimension	1308×712×1349(mm)/51.5"×28.0"×53.1"
Net Weight	63.3kg/139.6lbs
Gross Weight	79.8kg/175.9lbs
Packing Size	1355×400×905(mm)/52.6"×15.7"×35.6"









ULTRA BIKE enables users to do upper body training, lower body training and total body training. It helps to improve your body coordination and meets training demands of various people.

70

The HC005 Climbing Machine is an aerobic exercise and full-body workout fitness equipment that provides low-impact joint aerobic exercise. It simulates climbing, mountaineering, and stair climbing to offer a comprehensive aerobic workout targeting the whole body, lower limbs, core muscles, and cardiovascular system, improving lung and heart function, endurance, and overall health.

Featuring LCD display and touch interaction,

The tempered glass panel enhances durability.

the product is user-friendly and futuristic.




Model	HC005
Product Weight	92kg / 202.8lbs
Product Dimensions	1215×1110×2500(mm)/47.8"×43.7"×98.4"
Climbing Angle	75°
Maximum Climbing Stride	500mm
Maximum User Weight	160kg
Adjustable Resistance	20 levels
Electric Resistance	Yes
Adjustment Function	
Input Power Voltage	AC100-240V
Charging Reminder	Yes
Heart Rate Display	Yes
Bluetooth Connectivity	Yes
Stepper Function	Yes
Training Modes	8 types



The product also offers stepping and stair climbing functions to achieve multi-functionality, catering to the diverse training needs of users.

The handle grips are covered with soft rubber for increased comfort during use.





# EXOFORM >> >

Uniformly low profile at 1492mm is designed by American team. Translucent shroud at thickness 3.2mm with smooth pattern is in injection molding, which designed elegantly and ensures ultra durability and non-deformation

Build-in console, which is well designed by American UI team, displays reps and time


The upright tubes are with special tube at size  $72.8 \times 141.7 \times 3$ mm, and the functional part with race track tube at size  $40 \times 133 \times 3$ mm. Tubes applys double powder-coated & painting process which ensure high-quality and ultra durability

The steel guide rod (diameter:19mm) is anti-corrosion coated and polished which ensures smoothly travel and rust-proof

Friendly designed iPad and bottle holders are separated to meet various requirement

The 5LBS incremental weight is to meet users requirement

All the hardware parts exposed are nickel plated or stainless steel. The




Ergonomically designed handle bars, which is patented, are with TPU matrial and aluminium grip ring. The concise design offers comfort and safety

> Ergonomically designed upholstery is with PU foam which offers comfort and safety protection

Belt and cable driving system are both applied. Self-lubricate American Loss cable with nylon-coated 12 complex fiber ensures service life 300,000 times. The belt is with steel wire embedded which ensures ultra durability and long lifetime

With spiral spring assistance system, the patented 3-linkage seat adjustment is concisely designed, cost-saving and offers easy installment

All dynamic components are shielded for safety purpose Gas spring for resetting



#### \* WEIGHT STACK SOLD SEPARATELY

160lbs/68.3kg
200lbs/85.5kg
235lbs/102.8kg
295lbs/129.2kg



\* COLOR OPTIONAL

73

### FE9701 CHEST PRESS

Dimension	1230x1570x1490(mm)
(L×W×H)	48.4x61.8x58.7 (in)
Net Weight	169.7kg/373.3lbs








## FE9702 LAT PULLDOWN

Dimension	1304×1226×2109 (mm)
(L×W×H)	51.3x48.2x83.0 (in)
Net Weight	177.7kg/390.9lbs

#### FE9703 ARM CURL

	1440 1507 1400/
Dimension	1149x1567x1490(mm)
(L×W×H)	45.2x61.7x58.7 (in)
Net Weight	169.1kg/372lbs










#### FE9704 PECTORAL

Dimension	1197x1551x1489 (mm)
(L×W×H)	47.1x61.1x58.6 (in)
Net Weight	166.2kg/365.6lbs



## FE9705 LEG EXTENSION

Dimension	1264x1239x1489(mm
(L×W×H)	49.8x48.8x58.6 (in)
Net Weight	169.6kg/373.1lbs





# FE9708 ABDUCTOR/ADDUCTOR

Dimension	1776x1546x1488 (mm)
(L×W×H)	69.9x60.9x58.6 (in)
Net Weight	165.8kg/364.8lbs





#### FE9706 SEATED LEG CURL

Dimension	1240x1541x1489 (mm)
(L×W×H)	48.8x60.7x58.6 (in)
Net Weight	183.6kg/403.9lbs







FE9710 LEG PRESS

Dimension	1781×1293×1491(mm)
(L×W×H)	70.1x50.9x58.7 (in)
Net Weight	279kgs/613.8lbs





### FE9712 SHOULDER PRESS

Dimension	1762x1422x1492(mm)
(L×W×H)	69.4x55.9x58.7 (in)
Net Weight	168.7kg/371.1lbs



#### FE9714 ABDOMINAL

Dimension	1383×1202×1491(mm)
(L×W×H)	54.4x47.3x58.7 (in)
Net Weight	141.5kg/311.3lbs



# FE9715 PEC FLY/REAR DELT

Dimension	1296x1758x1490(mm)
(L×W×H)	51x69.2x58.7 (in)
Net Weight	160.7kg/353.5lbs









### FE9716 CALF RAISE


Dimension	1265x1186x1721(mm)
(L×W×H)	49.8x46.7x67.8 (in)
Product Weight	167.8kg/369.2lbs





# FE9718 TORSO ROTATION

Dimension	1293x1346x1490 (mm)
$(L \times W \times H)$	50.9x53.0x58.7 (in)
Net Weight	176kg/387.2lbs





#### **FE9719 ROW**

Dimension	1996×1127×1492(mm)
(L×W×H)	78.6x44.4x58.7 (in)
Net Weight	174.8kg/384.6lbs





## FE9720 WEIGHT ASSISTED CHIN/DIP COMBO

Dimension	1750x1378x2197 (mm)
(L×W×H)	68.9x54.2x86.5 (in)
Net Weight	243.5kg/535.7lbs







# FE9721 PRONE LEG CURL

Dimension	1606×1193×1492mm)
(L×W×H)	63.2x47x58.7 (in)
Net Weight	154.2kg/339.2lbs





# FE9723 TRICEP

Dimension	1149x1580x1490 (mm)
(L×W×H)	45.2x62.2x58.7 (in)
Net Weight	163.5kg/359.7lbs



#### FE9724 LATERAL RAISE

Dimension	1266x1261x1491 (mm)
(L×W×H)	49.8x49.6x58.7 (in)
Net Weight	187.5kg/412.5lbs



# FE9726 GLUTE

1307x1483x1488 (mm)
53.9x58.4x58.6 (in)
168.5kg/370.7lbs









### FE9732 BACK EXTENSION

Dimension	1383×1203×1492(mm)
(L×W×H)	54.4x47.4x58.7 (in)
Net Weight	185.4kg/407.9lbs

#### \* COLOR OPTIONAL









FE9701 CHEST PRESS

FE9702 LAT PULLDOWN

FE9703 ARM CURL

FE9704 PECTORAL







FE9705 LEG EXTENSION

FE9706 SEATED LEG CURL

FE9708 ABDUCTOR/ADDUCTOR

FE9710 LEG PRESS









FE9712 SHOULDER PRESS FE9714 ABDOMINAL

FE9715 PEC FLY/REAR DELT

FE9716 CALF RAISE









FE9718 TORSO ROTATION

FE9719 ROW

FE9720 WEIGHT ASSISTED CHIN/DIP COMBO

FE9721 PRONE LEG CURL









FE9723 TRICEP

FE9724 LATERAL RAISE

FE9726 GLUTE

FE9732 BACK EXTENSION

# SL95 Line >> >

Translucent shroud at thickness 3.2mm with smooth pattern is in injection molding, which designed elegantly and ensures ultra durability and non-deformation



All the hardware parts exposed are

nickel plated or stainless steel. The

NBK bearing is applied

 Ergonomically designed handle bars, which is patented, are with TPU matrial and aluminium grip ring. The concise design offers comfort

Ergonomically designed upholstery which offers comfort and safety protection

Belt and cable driving system are both applied. Self-lubricate American Loss cable with nylon-coated 12 complex fiber ensures service life 300,000 times. The belt is with steel wire embedded which ensures ultra durability and long lifetime

With spiral spring assistance system, the patented 3-linkage seat adjustment is concisely designed, cost-saving and offers easy installment

All dynamic components are shielded for safety purpose

Gas spring for resetting

#### SL9501 CHEST PRESS

PRODUCT DIMENSION	1552x1231x1503 (mm)
(LxWxH)	61.1x48.5x59.2 (in)
PRODUCT WEIGHT	163.5kg/360.5lbs





#### SL9502 DIVERGING LAT PULLDOWN

PRODUCT DIMENSION	1305x1224x2109 (mm)
(LxWxH)	51.4x48.2x83.0 (in)
PRODUCT WEIGHT	172kg/379.2lbs

#### SL9503 ARM CURL

PRODUCT DIMENSION	1122x1583x1563 (mm)
(LxWxH)	44.2x62.3x61.5 (in)
PRODUCT WEIGHT	162kg/357.1lbs



86



#### SL9505 LEG EXTENSION

PRODUCT DIMENSION	1401x1227x1563 (mm)
(LxWxH)	55.2x48.3x61.5 (in)
PRODUCT WEIGHT	145.1kg/319.9lbs



	2) V0 202
PRODUCT DIMENSION	1495x1275x1563 (mm)
(LxWxH)	58.9x50.2x61.5 (in)
PRODUCT WEIGHT	162.8kg/358.9lbs





#### SL9508 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION	784x1636x1563 (mm)
(LxWxH)	30.9x64.4x61.5 (in)
PRODUCT WEIGHT	144.8kg/319.2lbs



PRODUCT DIMENSION	972x1381x1564 (mm)
(LxWxH)	38.3x54.4x61.6 (in)
PRODUCT WEIGHT	178.6kg/393.7lbs



#### SL9510 LEG PRESS

PRODUCT DIMENSION	1813x1176x1562 (mm)
(LxWxH)	71.4x46.3x61.5 (in)
PRODUCT WEIGHT	219.3Kg/483.5lbs



#### SL9512 SHOULDER PRESS

PRODUCT DIMENSION	1550x1490x1564 (mm)
(LxWxH)	61.0x58.7x61.6 (in)
PRODUCT WEIGHT	152.5kg/336.2lbs





### SL9515 PEC FLY/REAR DELT

PRODUCT DIMENSION	1497x1629x2048 (mm)
(LxWxH)	58.9x64.1x80.6 (in)
PRODUCT WEIGHT	141.2kg/311.3lbs



PRODUCT DIMENSION	1192x1197x1750 (mm)
(LxWxH)	46.9x47.1x68.9 (in)
PRODUCT WEIGHT	131kg/288.8lbs





#### SL9517 SEATED DIP

PRODUCT DIMENSION	1428×1300×1564 (mm)
(LxWxH)	56.2x51.2x61.6 (in)
PRODUCT WEIGHT	150kg/330.7lbs



PRODUCT DIMENSION	1984x1129x1563 (mm)
(LxWxH)	78.1x44.4x61.5 (in)
PRODUCT WEIGHT	159.7kg/352.1lbs



### SL9520 WEIGHT ASSISTED CHIN DIP COMBO

PRODUCT DIMENSION	1394x1608x2285 (mm)
(LxWxH)	54.9x63.3x90.0 (in)
PRODUCT WEIGHT	183.8kg/405.2lbs



#### SL9521 PRONE LEG CURL

PRODUCT DIMENSION	1185x1443x1563 (mm)
(LxWxH)	46.7x56.8x61.5 (in)
PRODUCT WEIGHT	139.4kg/307.3lbs



92



SL9524 LATERAL RAISE

127.5kg/281.1lbs

PRODUCT DIMENSION

PRODUCT WEIGHT

(LxWxH)

#### SL9522 LAT PULLDOWN VERTICAL ROW

PRODUCT DIMENSION	1223x1936x2231 (mm)
(LxWxH)	48.1x76.2x87.8 (in)
PRODUCT WEIGHT	139.1kg/306.7lbs



#### SL9528 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION	1351x1319x1563 (mm)
(LxWxH)	53.2x51.9x61.5 (in)
PRODUCT WEIGHT	180.1kg/397.1lbs



#### SL9529 MULTI PRESS

PRODUCT DIMENSION	1827x1477x1672 (mm)
(LxWxH)	71.9x58.1x65.8 (in)
PRODUCT WEIGHT	178.4kg/393.3lbs

#### SL9534 ABDOMINAL **BACK EXTENSION**

PRODUCT DIMENSION	1112x1267x1567 (mm)
(LxWxH)	43.8x49.9x61.7 (in)
PRODUCT WEIGHT	140.1kg/308.9lbs





# IT95 Line >> >

Tube: 3mm tube in main frame and movement parts. U-frame uses PR95x81.1x3 tube and functional parts use RT50x100

Plastic part: Injection molding for better quality

Painting: Double coated surface treatment

Incremental weight (optional): 5lbs for smaller adjustment


Weight stack: 19mm full steel plate.
Weight options - 160/200/235/295Lbs

Easy to enter and exit the machine and able to adjust when in sitting position

Conform with EN957. Passed 300,000 times fatigue test and 100kg stable test

#### \* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



Standard metal part: Nickle plated or stainless steel for better appearance and quality

Diverging motion structure allows the arm training simultaneously and alternately

Pad: Double stitch and add protect cover on the back. Various colors to choose from


Pulley: Lathed pulley with less tolerance

Cable: USA imported cable which passed more than 250 thousand times test

Bearing: Reliable Taiwan brand



\*COLOR OPTIONAL.
Two paint colors and upholstery
colors can be freely combined.




#### IT9501 CHEST PRESS

PRODUCT DIMENSION	1475×1200×1506 (mm)
(LxWxH)	58.1×47.2×59.3 (in)
PRODUCT WEIGHT	127.4kg/280.3lbs








#### IT9502 LAT PULLDOWN

PRODUCT DIMENSION	1384×1373×1889 (mm)
(LxWxH)	54.5×54.1×74.4 (in)
PRODUCT WEIGHT	147.7kg/324.9lbs




#### IT9503 ARM CURL

PRODUCT DIMENSION	1295×1208×1506 (mm)
(LxWxH)	51.1x47.6x59.3 (in)
PRODUCT WEIGHT	115.5kg/254.1lbs








IT9504 PECTORAL

PRODUCT DIMENSION	1450×1360×1510 (mm)
(LxWxH)	57.1x53.5x59.4 (in)
PRODUCT WEIGHT	132.5kg/291.5lbs




#### **IT9505 LEG EXTENSION**

PRODUCT DIMENSION	1202×1189×1506 (mm)
(LxWxH)	47.3x46.8x59.3 (in)
PRODUCT WEIGHT	133.1kg/292.8lbs








### IT9506 SEATED LEG CURL

PRODUCT DIMENSION	1536x1186x1506 (mm)
(LxWxH)	60.5x46.7x59.3 (in)
PRODUCT WEIGHT	149.6kg/329.1lbs




## IT9508 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION	1553×856×1506 (mm)
(LxWxH)	61.1×33.7×59.3 (in)
PRODUCT WEIGHT	149.6kg/329.1lbs








#### IT9509 TOTAL HIP

PRODUCT DIMENSION	1292×972×1506 (mm)
(LxWxH)	50.9x38.3x59.3 (in)
PRODUCT WEIGHT	148.2Kg/326.7lbs




IT9510 LEG PRESS

PRODUCT DIMENSION	1813×1109×1504 (mm)
(LxWxH)	71.4x43.7x59.2 (in)
PRODUCT WEIGHT	211.3kg/464.9lbs








#### IT9512 SHOULDER PRESS

1560×1443×1510 (mm)
61.4×56.8×59.4 (in)
137.4kg/302.3lbs




#### IT9514 ABDOMINAL

PRODUCT DIMENSION	1345×1148×1581 (mm
(LxWxH)	53.0x45.2x62.2 (in)
PRODUCT WEIGHT	112.6kg/247.7lbs








### IT9515 PEC FLY/REAR DELT


PRODUCT DIMENSION	1275×1288×2048 (mm)
(LxWxH)	50.2×50.7×80.6 (in)
PRODUCT WEIGHT	123.5kg/271.7lbs



## IT9516 CALF RAISE


PRODUCT DIMENSION	1287×1156×1739 (mm)
(LxWxH)	50.7x45.5x68.5 (in)
PRODUCT WEIGHT	127.8kg/281.1lbs





#### IT9517 SEATED DIP

PRODUCT DIMENSION	1794×1267×1507(mm)
(LxWxH)	70.6x49.9x59.3 (in)
PRODUCT WEIGHT	142.5kg/313.5lbs




#### IT9518 TORSO ROTATION

PRODUCT DIMENSION	1221×1202×1506(mm)
(LxWxH)	48.1x47.3x59.3 (in)
PRODUCT WEIGHT	150.8kg/331.8lbs








**IT9519 VERTICAL ROW** 

PRODUCT DIMENSION	1617×1264×1508(mm)
(LxWxH)	63.7x49.8x59.4 (in)
PRODUCT WEIGHT	126.5kg/278.3lbs




IT9520 WEIGHT ASSISTED CHIN/DIP COMBO

PRODUCT DIMENSION	1570×1394×2286(mm)
(LxWxH)	61.8x54.9x90.0 (in)
PRODUCT WEIGHT	125.5kg/276.1lbs








### IT9521 PRONE LEG CURL

PRODUCT DIMENSION	1443×1146×1508(mm)
(LxWxH)	56.8x45.1x59.4 (in)
PRODUCT WEIGHT	129.6kg/285.1lbs




#### IT9522 LAT PULLDOWN/VERTICAL ROW

PRODUCT DIMENSION	1897×1223×2228(mm)
(LxWxH)	74.7×48.1×87.7 (in)
PRODUCT WEIGHT	118.5kg/260.7lbs








#### IT9524 LATERAL RAISE

PRODUCT DIMENSION	1222×1213×1506 (mm)
(LxWxH)	48.1x47.8x59.3 (in)
PRODUCT WEIGHT	127.5kg/280.5lbs




IT9526 GLUTE

PRODUCT DIMENSION	1503×1245×1508 (mm)
(LxWxH)	59.2x49x59.4 (in)
PRODUCT WEIGHT	125.5kg/276.1lbs








IT9528 LEG EXTENSION/LEG CURL


PRODUCT DIMENSION	1550×1250×1506 (mm)
(LxWxH)	61.0x49.2x59.3 (in)
PRODUCT WEIGHT	167Kg/368.2lbs



#### **IT9532 BACK EXTENSION**

PRODUCT DIMENSION	1233×1188×1506 (mm)
(LxWxH)	48.5x56.8x59.3 (in)
PRODUCT WEIGHT	118.5kg/260.7lbs






#### IT9529 MULTI PRESS

PRODUCT DIMENSION	1827×1437×1669 (mm)
(LxWxH)	71.9x56.6x65.7 (in)
PRODUCT WEIGHT	166kg/365.9lbs








IT9533 BICEP CURL/TRICEP EXTENSION


PRODUCT DIMENSION	1300×1225×1502(mm)
(LxWxH)	51.2x48.2x59.1(in)
PRODUCT WEIGHT	132.5kg/291.5lbs






IT9534 ABDOMINAL/BACK EXTENSION


PRODUCT DIMENSION	1196×1189×1506(mm)
(LxWxH)	53.4x50.8x61.7(in)
PRODUCT WEIGHT	139.2kg/306.2lbs





0.8x59.3(in)
562.2lbs






IT9537 STANDING MULTI FLIGHT MACHINE

PRODUCT DIMENSION	1455x906x1863(mm)
(LxWxH)	57.3x35.7x73.3(in)
PRODUCT WEIGHT	270kg/595.2lbs







IT9539 SEATED LEG PRESS HACK SQUAT

PRODUCT DIMENSION	1857×1090×1506(mm)
(LxWxH)	73.1x42.9x59.3(in)
PRODUCT WEIGHT	325kg/716.5lbs

#### \* COLOR OPTIONAL













IT9501 CHEST PRESS

IT9502 LAT PULLDOWN

IT9504 PECTORAL IT9503 ARM CURL

IT9505 LEG EXTENSION









IT9506

IT9508 SEATED LEG CURL ABDUCTOR/ADDUCTOR

IT9509 TOTAL HIP

IT9510 LEG PRESS

IT9512 SHOULDER PRESS














IT9515 PEC FLY/REAR DELT

IT9516 CALF RAISE

IT9517 SEATED DIP

IT9518 TORSO ROTATION











IT9519 VERTICAL ROW

IT9520 WEIGHT ASSISTED CHIN/DIP COMBO

IT9521 PRONE LEG CURL

IT9522 LAT PULLDOWN VERTICAL ROW

IT9524 LATERAL RAISE











IT9526 GLUTE


IT9528 LEG EXTENSION/LEG CURL MULTI PRESS

IT9529

IT9532 BACK EXTENSION

IT9533 BICEP CURL TRICEP EXTENSION











IT9537 STANDING MULTI FLIGHT MACHINE

IT9538 HIP THRUST

IT9539 SEATED LEG PRESS HACK SQUAT



# IF93 >> >

These simple, clean-lines, selectorized series specially designed for entry level small clubs and institutional applications. It offers a complete functional package, is inexpensive to own and is easy to maintain. It matches up beautifully with the benches and racks of the IF line.

The clear and precise instructions and training tips are great for individuals who is new to strength training and help users to build targeted muscle.

Specially designed cup holder is perfectly integrated with cage, making it simple and enerous.

The upright tubing thickness of 2.5mm and the functional parts with rectangular tube at size of 50×100×2.5mm, which make IF93 stronger and more powerful.

The translucent shroud with ABS materials (optional full shroud) is endurable and wear resisting. The main plastic parts are made using injection molding that help to provide teady quality.

The whole series are adopted with the equivalent cage height of 1530mm, which help to create a bright training environment of fitness club.

Ergonomic seat cushion, chest and back pad are made of polymer materials.


The specially designed pads have different angles, which meet various training requirements.

Ergonomically designed handle bars are made of TPV materials, which make your garb more comfortable.

make your garb more comfortable and safety. It combines with aluminum end cap reflecting high-end taste.

The main frame is coated with materials that environmental friendly, which helps to improve products quality and provide with good scratching and corrosion resistance.

Designed with stainless steel seat adjustment that provides a longer service life, made it easy to adjust and look beautiful.



#### \* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	
	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



\* THE FULL SHROUD IS OPTIONAL. (Weight stacks varies by the shrouds)



#### **IF9301 CHEST PRESS**

PRODUCT DIMENSION (L×W×H)	1040×1360×1530 (mm) 40.5×53.5×60.2 (in)	
PRODUCT WEIGHT	97.1kg	



#### IF9302 LAT PULLDOWN

PRODUCT DIMENSION	1585×1318×1891 (mm)
(L×W×H)	42.4×51.9×74.4 (in)
PRODUCT WEIGHT	100kg



#### IF9303 ARM CURL

PRODUCT DIMENSION (L×W×H)	1216×1028×1530 (mm) 47.9×40.5×60.2 (in)
PRODUCT WEIGHT	90kg



#### IF9304 PECTORAL

PRODUCT DIMENSION	1736×806×1530 (mm)
(L×W×H)	68.3×31.7×60.2 (in)
PRODUCT WEIGHT	95kg

<sup>\*</sup> The right of specific weight to actual supply prevail.



#### **IF9305 LEG EXTENSION**

PRODUCT DIMENSION	1146×1050×1530 (mm)
(L×W×H)	45.1×41.3×60.2 (in)
PRODUCT WEIGHT	101.5kg



#### IF9306 SEATED LEG CURL

PRODUCT DIMENSION (L×W×H)	1148×1034×1530 (mm) 45.2×40.7×60.2 (in)
PRODUCT WEIGHT	95kg



#### IF9308 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION (L×W×H)	1570×935×1530 (mm) 61.8×36.8×60.2(in)
PRODUCT WEIGHT	98.5kg



#### IF9310 LEG PRESS

PRODUCT DIMENSION (L×W×H)	1790×1168×1530 (mm) 70.5×46.0×60.2(in)	
PRODUCT WEIGHT	120.5kg	



#### IF9312 SHOULDER PRESS

PRODUCT DIMENSION (L×W×H)	1149×1456×1530 (mm) 45.2×57.3×60.2 (in)
PRODUCT WEIGHT	102.6kg



#### IF9314 ABDOMINAL

PRODUCT DIMENSION	1304×1484×1490 (mm)
(L×W×H)	51.3×58.4×58.7 (in)
PRODUCT WEIGHT	89.5kg



#### IF9315 PEC FLY/REAR DELT

PRODUCT DIMENSION (L×W×H)	1420×1493×1863 (mm) 58.8×55.9×73.3 (in)
PRODUCT WEIGHT	90kg



#### IF9316 CALF RAISE

PRODUCT DIMENSION	1150×1105×1775 (mm)
$(L \times W \times H)$	45.3×43.5×69.9(in)
PRODUCT WEIGHT	106kg



#### IF9317 SEATED DIP

PRODUCT DIMENSION (L×W×H)	1227×1212×1530 (mm) 48.3×47.7×60.2(in)
PRODUCT WEIGHT	97.5kg



IF9318 TORSO ROTATION

PRODUCT DIMENSION L×W×H)	1240×1105×1530 (mm) 48.8×43.5×60.2(in)
PRODUCT WEIGHT	96kg



#### **IF9319 VERTICAL ROW**

PRODUCT DIMENSION	1818×870×1530 (mm)
$(L\times W\times H)$	71.6×34.3×60.2(in)
PRODUCT WEIGHT	91.5kg



#### **IF9321 PRONE LEG CURL**

PRODUCT DIMENSION (L×W×H)	1510×1150×1530 (mm) 59.4×45.3×60.2(in)
PRODUCT WEIGHT	101.5kg



#### **IF9323 ARM EXTENSION**

PRODUCT DIMENSION (L×W×H)	1079×1028×1530 (mm) 42.1×40.5×60.2 (in)
PRODUCT WEIGHT	91kg



#### IF9324 LATERAL RAISE

PRODUCT DIMENSION (L×W×H)	1179×750×1530 (mm) 46.4×29.5×60.2(in)
PRODUCT WEIGHT	85kg



#### IF9320 WEIGHT ASSISTED CHIN/DIP COMBO

PRODUCT DIMENSION (L×W×H)	1309×1256×2498 (mm) 51.5×49.4×98.3(in)
PRODUCT WEIGHT	107kg



#### IF9322 LAT PULLDOWN/VERTICAL ROW

PRODUCT DIMENSION (L×W×H)	1886×1223×2227 (mm) 74.2×48.1×87.7(in)
PRODUCT WEIGHT	90kg



#### IF9326 KICK BACK

PRODUCT DIMENSION (L×W×H)	1068×1034×1530 (mm) 42.0×40.7×60.2 (in)
PRODUCT WEIGHT	90kg



#### IF9328 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION	1272×1270×1530 (mm)
(L×W×H)	50.1×50.0×60.2 (in)
PRODUCT WEIGHT	105kg



#### IF9329 MULTI PRESS

PRODUCT DIMENSION (L×W×H)	2026×1446×1530 (mm) 79.8×56.9×60.2(in)
PRODUCT WEIGHT	97.5kg



#### **IF9332 BACK EXTENSION**

PRODUCT DIMENSION	1120×1034×1530 (mm)
(L×W×H)	44.0×40.7×60.2 (in)
PRODUCT WEIGHT	98kg



IF9333 BICEP CURL/TRICEP EXTENSION

PRODUCT DIMENSION (L×W×H)	1327×1203×1530 (mm) 52.2×47.4×60.2(in)
PRODUCT WEIGHT	110kg



#### IF9334 AB/BACK

PRODUCT DIMENSION (L×W×H)	1592×1253×1531 (mm) 62.7×49.3×60.3(in)
PRODUCT WEIGHT	TBD



#### IF9335 ABDUCTOR

PRODUCT DIMENSION (L×W×H)	1583×946×1530 (mm) 62.3×37.2×60.2(in)
PRODUCT WEIGHT	95kg



#### IF9336 ADDUCTOR

PRODUCT DIMENSION (L×W×H)	1583×1036×1530 (mm) 62.3×40.8×60.2(in)
PRODUCT WEIGHT	95kg



# PL Line >> >

Easy to use, neat appearance, the PL line is a high quality dual/multi functional machines Light commercial/commercial series.

This PL line is Impulse dual/multi functional line. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.

PLAMAX

Instructive - simple, step-by-step instructions and training tips help users get the most out of their exercise.

Aircraft spec 5mm American LOOS cable with a 2,000 lb breaking strength.

End fittings tested to 250,000 cycles using full weight stack.

Easy-to-use, minimal adjustments and pre-stretch features allow for optimal exercise positions.

Glass fiber reinforced nylon pulleys with deep V-groove provides secure cable seating and fluid bearing rotation.

Compact - space efficient design requires minimal floor space.

 Shroud is applied to protect the equipment or the possible injury during operation.

Tubing: 2.5 mm to 2.75mm. square tube differ into any types, from 30x60mm to 50x100mm, electro-welded to maximum integrity.

Pad total thickness is 70mm.

#### \* WEIGHT STACK SOLD SEPARATELY

OPTION 1	170lbs/70.4kg
OPTION 2	250lbs/102.4kg

Color: metallic silver gray(Other colors are optional based on customer requirements)



#### PL9002 LAT PULLDOWN/SEATED ROW

PRODUCT DIMENSION (L×W×H)	1764×1019×2182 (mm) 69.4×40.1×85.9 (in)
PRODUCT WEIGHT	90.5 kg / 200 lbs
40'	136 Sets



PL9010	
OUTER/INNER	THIGH

PRODUCT DIMENSION (L×W×H)	1609×722×1515 (mm) 63.3×28.4×59.6 (in)
PRODUCT WEIGHT	99 kg / 218 lbs
40'	130 Sets



#### PL9010 LEG PRESS/CALF RAISE

PRODUCT DIMENSION (L×W×H)	1938×1148×1520 (mm) 76.3×45.2×59.8 (in)
PRODUCT WEIGHT	111 kg / 245 lbs
40'	88 Sets



#### PL9019 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (L×W×H)	1465×1245×1520 (mm) 57.7×49×59.8 (in)
PRODUCT WEIGHT	115.5 kg / 255 lbs
40'	75 Sets



#### PL9021 MULTI PRESS

PRODUCT DIMENSION (L×W×H)	1924×1325×1518 (mm) 75.7×52.2×59.8 (in)
PRODUCT WEIGHT	111.5 kg / 246 lbs
40'	120 Sets



### PL9023 BICEPS/TRICEPS

PRODUCT DIMENSION (L×W×H)	1207×1164×1513 (mm) 47.5×45.8×59.6 (in)
PRODUCT WEIGHT	106 kg / 234 lbs
40'	115 Sets



PL9022 REAR DELTOID/PECTORAL FLY

PRODUCT DIMENSION (L×W×H)	1362×1219×2061 (mm) 53.6×48.0×81.1 (in)
PRODUCT WEIGHT	107 kg / 236 lbs
40'	124 Sets



#### PL9024 AB/LOW BACK

PRODUCT DIMENSION (L×W×H)	1044×1094×1520 (mm) 41.1×43.1×59.8 (in)
PRODUCT WEIGHT	99.5 kg / 219 lbs
40'	135 Sets

Jungle >> >







#### IT9525 ADJUSTABLE HI/LO PULLEY

PRODUCT DIMENSION	1450x1245x2350(mm)
(LxWxH)	57.1x49.0x92.5(in)
PRODUCT WEIGHT	137.5kg/303.1lbs



IT9530 DUAL ADJUSTABLE PULLEY

PRODUCT DIMENSION	1620x1370x2270(mm)
(LxWxH)	63.8x53.9x89.4(in)
PRODUCT WEIGHT	195.5kg/431lbs



#### 1T9527 4 STACK MULTI-STATION

PRODUCT DIMENSION	3489x1968x2382(mm)
(LxWxH)	137.4x77.5x93.8(in)
PRODUCT WEIGHT	308.7kg/680.6lbs



#### IT9527OPT CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION	2824x222x483(mm)
(LxWxH)	111.2x8.74x19.0(in)
PRODUCT WEIGHT	27.5kg/60.6lbs



#### IT9525+IT9525+IT95270PT

PRODUCT DIMENSION	4196×1436×2360(mm)
(LxWxH)	165.2×56.5×92.9(in)





#### COLOR OPTIONAL





IT9525 ADJUSTABLE HI/LO PULLEY

IT9527 4 STACK MULTI-STATION





IT9530 DUAL ADJUSTABLE PULLEY

IT95270PT CABLE CROSSOVER-TRADITIONAL



IT9525+IT9525+IT9527OPT



IT9525+IT9527+IT95270PT



IT9527+IT9527+IT95270PT



#### SL9525 ADJUSTABLE HI/LO PULLEY

PRODUCT DIMENSION	1482x1187x2356 (mm)
(LxWxH)	58.3x46.7x92.8 (in)
PRODUCT WEIGHT	134.2kg/295.9lbs



#### SL9527 JUNGLE MULTI GYM

PRODUCT DIMENSION	3488x2646x2350 (mm)
(LxWxH)	137.3x104.2x92.5 (in)
PRODUCT WEIGHT	386.4kg/851.9lbs




#### IT95270PT CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION	2824x221x477 (mm)
(LxWxH)	111.2x8.7x18.8 (in)
PRODUCT WEIGHT	27.3kg/60.2lbs



#### SL9525+SJ9525+SL9527OPT

PRODUCT DIMENSION	4249×1482×2365(mm)
(LxWxH)	167.3×58.3×93.1(in)



PRODUCT DIMENSION	5824×3488×2365(mm)
(LxWxH)	229.3×137.3×93.1(in)





SL9527+SL9527+SL9527OPT

ODUCT DIMENSION	7380×4377×2365(mm)
(WxH)	290.6×172.3×93.1(in)



#### IF9325 ADJUSTABLE HI / LO PULLEY

PRODUCT DIMENSION (L×W×H)	1449×1258×2338 (mm) 57.0×49.5×92.0 (in)
PRODUCT WEIGHT	96 kg / 212 lbs
40'	108 Sets



#### IF9330 DUAL ADJUSTABLE PULLEY

PRODUCT DIMENSION (L×W×H)	1639×882×2270 (mm) 64.5×34.7×89.4(in)
PRODUCT WEIGHT	117kg



#### IF9327 4 STACK MULTI-STATION

PRODUCT DIMENSION (L×W×H)	3450×2445×2338 (mm) 135.8×96.3×92.0 (in)
PRODUCT WEIGHT	258.6 kg / 570 lbs
40'	48 Sets



# IF9327OPT CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION (L×W×H)	2505×441×198 (mm) 98.6×17.4×7.8 (in)
PRODUCT WEIGHT	21.5 kg / 47 lbs
40'	526 Sets



#### CABLE CROSSOVER

IF9325+IF9325+IF9327OPT

PRODUCT DIMENSION 4138x1448x2355(mm) (L×W×H) 162.9x57.0x92.7(in)

#### 5 STACK MULTI-STATION

IF9325+IF9327+IF9327OPT

PRODUCT DIMENSION 5220x3428x2355(mm) (L×W×H) 205.5x135.0x92.7(in)

\* OPTIONAL FULL SHROUD VERSION.





#### 8 STACK MULTI-STATION

IF9327+IF9327+IF9327OPT

PRODUCT DIMENSION	6262x3428x2355(mm)
$(L \times W \times H)$	246.5x135.0x92.7(in)



# ECP Line >> >

Impulse Fitness proudly presents the EVOLUTION CURVE Series, a groundbreaking line of plate-loaded strength machines. Incorporating a linkage-adjustable force structure in most models, these machines are tailored to match the strength curve characteristics of specific muscle groups, ensuring user comfort, training efficiency, and safety throughout the workout. Named the EVOLUTION CURVE PLATE-LOADED STRENGTH SERIES, or simply the ECP series, it promises an exceptional training experience.



traditional chest press

MOTION ARM ANGLE

0 20 40 60 80

Force Curve Comparison Chart

Compared to traditional plate-loaded equipment, the ECP series offers smoother force lines from the initial lift, ensuring that there is no loss of force toward the end of the movement.



#### ECP101 SHOULDER PRESS

PRODUCT DIMENSION (L×W×H)	1638×1515×1455 (mm) 64.5×59.6×57.3 (in)
PRODUCT WEIGHT	215 kg/474.0 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



#### ECP201 CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1800×1750×1800 (mm) 70.9×68.9×70.9 (in)
PRODUCT WEIGHT	265 kg/584.2 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



#### ECP301 PULLDOWN

PRODUCT DIMENSION (L×W×H)	1745×1645×1932 (mm) 68.7×64.8×76.1 (in)
PRODUCT WEIGHT	210 kg/463.0 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



PRODUCT DIMENSION (L×W×H)	1600×1800×1100 (mm) 63.0×70.9×43.3 (in)
PRODUCT WEIGHT	190 kg/418.9 lbs
MAX. WEIGHT CAPACITY	120 kg/264.6 lbs



Dual-purpose design with both shoulder and waist carrying options.

Adjustable foot pedal angle with 4 levels from 35° to 50°.

Adjustable safety limit to effectively protect

# ECP617 HACK SQUAT

PRODUCT DIMENSION (L×W×H)	2185×1290×1416 (mm) 86.0×50.8×55.7 (in)
PRODUCT WEIGHT	315 kg/694.5 lbs
MAX. WEIGHT CAPACITY	400 kg/881.8 lbs



Convenient dual-sided handle adjustments.

Balance weight added.

Adjustable foot pedal angle with six settings and a spacious platform (750\*665).

# ECP713 SQUAT

PRODUCT DIMENSION (L×W×H)	2300×1260×1790 (mm) 90.6×49.6×70.5 (in)
PRODUCT WEIGHT	330 kg/727.5 lbs
MAX. WEIGHT CAPACITY	400 kg/881.8 lbs



#### COLOR OPTIONAL





ECP101 SHOULDER PRESS

ECP201 CHEST PRESS




ECP617 HACK SQUAT

ECP713 SQUAT



ECP301 PULLDOWN

ECP302 SEATED ROW





# SL Line >> >

Easy to use, neat appearance, the SL line is a high quality commercial plate loaded series. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.

Tubing: thickness range from 2.5 mm to 3mm, 50mmx100mm tubing, electro-welded to maximum integrity.

Color: black and red (Other colors are optional based on customer requirements)

Finish: Electrostatic powder-coated and heat cured after adhesiveness enhancement pre-treatment for superior durability



Compact - space efficient design requires minimal floor space.

Pad total thickness is 70mm.

 Easy-to-use, flexible adjustments allow for optimal exercise positions.















\* COLOR OPTIONAL



#### SL7001 CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1937×1370×1717 (mm) 76.3×53.9×67.6 (in)
PRODUCT WEIGHT	170.5 kg / 375.9 lbs
40'	70 Sets
MAX. WEIGHT CAPACITY	300 Kg / 660 lbs



#### SL7003 SHOULDER PRESS

PRODUCT DIMENSION	1558×1818×1487 (mm)
(L×W×H)	61.3×71.6×58.5 (in)
PRODUCT WEIGHT	171.5 kg / 378.1 lbs
40'	89 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



#### SL7002 PULLDOWN

PRODUCT DIMENSION (L×W×H)	1482×1489×1967 (mm) 58.3×58.6×77.4 (in)
PRODUCT WEIGHT	169 kg / 372.6 lbs
40'	81 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



#### SL7004 LOW ROW

PRODUCT DIMENSION (L×W×H)	1761×1458×1650 (mm) 69.3×57.4×65 (in)
PRODUCT WEIGHT	170 kg / 374.8 lbs
40'	69 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



# SL7005 INCLINE CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1900×1523×1779 (mm) 74.8×60×70 (in)
PRODUCT WEIGHT	184 kg / 405.7 lbs
40'	72 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



#### SL7006 LEG PRESS

PRODUCT DIMENSION (L×W×H)	2226×1421×1415 (mm) 87.6×55.9×55.7 (in)
PRODUCT WEIGHT	195 kg / 429.9 lbs
40'	65 Sets
MAX. WEIGHT CAPACITY	400 kg / 880 lbs



# SL7007 ROW

PRODUCT DIMENSION (L×W×H)	1815×1500×1334 (mm) 71.5×59.1×52.5 (in)
PRODUCT WEIGHT	160 kg / 352.7 lbs
40'	87 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



# SL7008 REAR KICK

PRODUCT DIMENSION (L×W×H)	1680×1229×1636 (mm) 66.1×48.4×64.4 (in)
PRODUCT WEIGHT	144 kg / 317.5 lbs
40'	82 Sets
MAX. WEIGHT CAPACITY	150kg / 330lbs



# SL7013 GLUTE HAM BENCH

PRODUCT DIMENSION (L×W×H)	1562×914×1477 (mm) 61.5×36×58.1 (in)
PRODUCT WEIGHT	70 kg / 154 lbs
40'	105 Sets



# SL7017 SEATED CALF RAISE

PRODUCT DIMENSION (L×W×H)	1475×765×845 (mm) 58×30.1×33.3 (in)
PRODUCT WEIGHT	56 kg / 123 lbs
40'	174 Sets
MAX. WEIGHT CAPACITY	150 kg / 330 lbs




# **SL7019 INCLINE ROW**

PRODUCT DIMENSION (L×W×H)	1960×1020×1253 (mm) 77.2×40.2×49.3 (in)
PRODUCT WEIGHT	89 kg / 196 lbs
40'	97 Sets
MAX. WEIGHT CAPACITY	150 kg / 330 lbs



# SL7021 HACK SQUAT

PRODUCT DIMENSION	2205×1880×1285 (mm)
$(L\times W\times H)$	86.8×74×50.6 (in)
PRODUCT WEIGHT	235.5 kg / 519.2 lbs
MAX. WEIGHT CAPACITY	400 kg / 880 lbs



# SL7020 45 LEG PRESS

PRODUCT DIMENSION (L×W×H)	2499×1879×1544 (mm) 98.4×74×60.8 (in)
PRODUCT WEIGHT	249kg / 548lbs
40'	58 Sets
MAX. WEIGHT CAPACITY	450kg / 990lbs





# SL7023 BICEP CURL

PRODUCT DIMENSION (L×W×H)	1492×1045×1204 (mm) 58.7×41.1×47.4 (in)
PRODUCT WEIGHT	114 kg / 251.3 lbs
40'	96 Sets
MAX. WEIGHT CAPACITY	120 kg / 264 lbs



# SL7024 TRICEP DIP

PRODUCT DIMENSION (L×W×H)	1733×1580×1202 (mm) 68.2×62.2×47.3 (in)
PRODUCT WEIGHT	166.3 kg / 366.6 lbs
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



#### SL7025 LEG EXTENSION

PRODUCT DIMENSION (L×W×H)	1270×1690×1005 (mm) 50×66.5×39.6 (in)
PRODUCT WEIGHT	130.9 kg / 288.6 lbs
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



# SL7026 LEG CURL

PRODUCT DIMENSION (L×W×H)	1430×1045×1200 (mm) 56.3×41.1×47.2 (in)
PRODUCT WEIGHT	141.1 kg / 311.1 lbs
MAX. WEIGHT CAPACITY	120 kg / 264 lbs



#### SL7032 STANDING CALF RAISE

PRODUCT DIMENSION (L×W×H)	1615×1375×1730(mm) 63.6×54.1×68.1 (in)
PRODUCT WEIGHT	146.2 kg/322.3 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



# SL7034 SQUAT

PRODUCT DIMENSION (L×W×H)	2260x1260x1800 (mm) 88.9x49.6x70.9 (in)
PRODUCT WEIGHT	212 kg/467.4 lbs
MAX. WEIGHT CAPACITY	400 kg/880 lbs





PRODUCT DIMENSION	1622 V 1267 V 1642 (mm)
PRODUCT DIMENSION (L×W×H)	1623×1267×1642 (mm) 63.9×49.9×64.6 (in)
PRODUCT WEIGHT	132 kg/291 lbs
MAX. WEIGHT CAPACITY	120 kg/264 lbs







PRODUCT DIMENSION (L×W×H)	1620×1610×1110 (mm) 63.8×63.4×43.7 (in)
PRODUCT WEIGHT	114.7 kg/253 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



#### SL7039 STANDING PRESS

PRODUCT DIMENSION (L×W×H)	2170×2000×2135 (mm) 85.4×78.7×84.1 (in)
PRODUCT WEIGHT	181.4 kg/399.9 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



#### SL7040 SQUAT LUNGE

PRODUCT DIMENSION (L×W×H)	1700×1670×640 (mm) 66.9×65.7×25.2 (in)
PRODUCT WEIGHT	123 kg/271 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



#### SL7028 FLAT BENCH PRESS

PRODUCT DIMENSION	1910x1738x1315 (mm)
$(L\times W\times H)$	75.2x68.4x51.8 (in)
PRODUCT WEIGHT	111 kg/244.7 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



#### SL7029 INCLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	2059x1738x1496 (mm) 81.1x68.4x58.9 (in)
PRODUCT WEIGHT	109 kg/240.3 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs





PRODUCT DIMENSION	2188x1738x1315 (mm)
$(L\times W\times H)$	86.1x68.4x51.8 (in)
PRODUCT WEIGHT	110.3 kg/243.2 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



#### SL7031 SHOULDER BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1719x1261x1920(mm) 67.7x49.6x75.6(in)
PRODUCT WEIGHT	146.5 kg/323.0 lbs
MAX. WEIGHT CAPACITY	400 kg/880 lbs



#### SL7009 POWER RACK

PRODUCT DIMENSION (L×W×H)	2031×1499×2278 (mm) 80×59×89.7 (in)
PRODUCT WEIGHT	200 kg / 441 lbs
40'	82 Sets



#### SL7014 HALF POWER RACK

PRODUCT DIMENSION (L×W×H)	1390×1747×2442 (mm) 54.7×68.8×96.1 (in)
PRODUCT WEIGHT	153 kg / 337 lbs
40'	108 Sets



#### SL70090PT WEIGHT PLATE RACK OPTION

PRODUCT DIMENSION	1674×717×2199 (mm)
$(L \times W \times H)$	65.9×28.2×86.6 (in)
PRODUCT WEIGHT	63.5 kg / 140 lbs
40'	144 Sets



#### SL7015 FULL POWER RACK

PRODUCT DIMENSION	1966×1747×2442 (mm
(L×W×H)	77.4×68.8×96.1 (in)
PRODUCT WEIGHT	216 kg / 476 lbs
40'	83 Sets




#### SL7010 PLATE RACK

PRODUCT DIMENSION	891×628×1228 (mm)
$(L\times W\times H)$	35.1×24.7×48.3 (in)
PRODUCT WEIGHT	44 kg / 97 lbs
40'	242 Sets



#### SL7027 BARBELL RACK

PRODUCT DIMENSION	950×910×1612 (mm)
$(L \times W \times H)$	37.4×35.8×63.5 (in)
PRODUCT WEIGHT	73 kg / 161 lbs
40'	112 Sets





#### SL7016 DUMBBELL RACK

PRODUCT DIMENSION	2260×760×740 (mm)
$(L\times W\times H)$	89.0×29.9×29.1 (in)
PRODUCT WEIGHT	75.9 kg/167.3 lbs
40'	240 Sets
MAX. WEIGHT CAPACITY	700 kg/ 1540 lbs





#### SL7011 FID BENCH

PRODUCT DIMENSION (L×W×H)	1350×670×1350 (mm) 53.1×26.4×53.1 (in)
PRODUCT WEIGHT	44 kg / 97 lbs
40'	252 Sets

#### SL7012 FID BENCH

PRODUCT DIMENSION	1550×670×1350 (mm)
$(L\times W\times H)$	61×26.4×53.1 (in)
PRODUCT WEIGHT	47 kg / 104 lbs
40'	252 Sets



#### SL7018 ARM CURL

PRODUCT DIMENSION (L×W×H)	1136x860x1016 (mm) 44.7x33.9x40.0(in)
PRODUCT WEIGHT	70 kg/154.3 lbs
MAX.WEIGHT CAPACITY	300 kg/661.4 lbs

#### SL7022 UTILITY BENCH SL7035 FLAT BENCH

PRODUCT DIMENSION (L×W×H)	1191×630×822 (mm) 46.9×24.8×32.4 (in)
PRODUCT WEIGHT	27.8 kg / 61.3 lbs
40'	253 Sets

PRODUCT DIMENSION (L×W×H)	1281x630x425 (mm) 50.4x24.8x16.7 (in)
PRODUCT WEIGHT	25.3 kg/55.8 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



#### SL7041 SUPER OLYMPIC BENCH

PRODUCT DIMENSION (L×W×H)	2410×1743×1622 (mm) 94.9×68.6×63.9 (in)
PRODUCT WEIGHT	141.3 kg/312 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



# SL7042 MAGIC RACK/SMITH MACHINE

PRODUCT DIMENSION (L×W×H)	2315×2241×2391 (mm) 91.1×88.2×94.1 (in)
PRODUCT WEIGHT	313.4 kg/690.9 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



#### SL7043 MULTI AB BENCH

PRODUCT DIMENSION	1722×630×912 (mm)
$(L \times W \times H)$	67.8×24.8×35.9 (in)
PRODUCT WEIGHT	54 kg/119 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



# SL7044 STRETCH

PRODUCT DIMENSION	1567×630×1263 (mm)
$(L \times W \times H)$	61.7×24.8×49.7 (in)
PRODUCT WEIGHT	50 kg/110 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7045 VERTICAL KNEE RAISE/DIP STAND

PRODUCT DIMENSION (L×W×H)	1189×765×1537 (mm) 46.8×30.1×60.5 (in)
PRODUCT WEIGHT	74.3 kg/163.8 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7045OPT CHIN-UP ATTACHMENT

PRODUCT DIMENSION	1189×1157×2388 (mm)
(L×W×H)	46.8×45.6×94.0 (in)
PRODUCT WEIGHT	31.5 kg/69 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7046 ISO-LATERAL SUPER CHEST PRESS

PRODUCT DIMENSION	2502×2179×1136 (mm)
$(L\times W\times H)$	98.5×85.8×44.7 (in)
PRODUCT WEIGHT	147.5 kg/325.2 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7047 MULTI HYPER EXTENSION

PRODUCT DIMENSION	1340×947×765 (mm)
(L×W×H)	52.8×37.3×30.1 (in)
PRODUCT WEIGHT	55.2 kg/122 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7051 ASSISTED NORDIC HAM

PRODUCT DIMENSION (L×W×H)	1648×1323×1684 (mm) 64.9×52.1×66.3 (in)
PRODUCT WEIGHT	101 kg/222.7 lbs
MAX. WEIGHT CAPACITY	100 kg/220.5 lbs



#### SL7055 BELT SQUAT

PRODUCT DIMENSION	1972×1541×1137 (mm)
$(L\times W\times H)$	77.6×60.7×44.8 (in)
PRODUCT WEIGHT	146 kg/321.9 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



SL7057 PENDULUM SQUAT

PRODUCT DIMENSION	2252×1314×1675 (mm)
(L×W×H)	88.7×51.7×65.9 (in)
PRODUCT WEIGHT	250 kg/551.2 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



# HSP7051 HIGH PRONE ROW BENCH

PRODUCT DIMENSION (L×W×H)	1790×1310×1180 (mm) 70.5×51.6×46.5 (in)
PRODUCT WEIGHT	80kg/176.4lbs



# HSP7053 LEG CURL

PRODUCT DIMENSION	1705×620×742 (mm)
$(L \times W \times H)$	67.1×24.4×29.2 (in)
PRODUCT WEIGHT	40kg/88.2lbs




# HSP7052 HIGH ROW

PRODUCT DIMENSION	1875×1713×2123 (mm)
$(L\times W\times H)$	73.8×67.4×83.6 (in)
PRODUCT WEIGHT	160kg/352.7lbs



# IFP Line >> >

- Professional: The 14 sets of products include equipment for exercising various muscle groups such as the chest, shoulder, back, legs, and arms. They are designed in strict accordance with parameters such as human mechanics and muscle force lines. This series of equipment is not limited to the training of conventional large muscle groups, but also takes into account the more specialized movement pattern training and more subdivided product design.
- Functionality: The 14 sets of products include several multi-functional products, which can meet the needs of multi-function, multi-muscle group and multi-action without affecting the use of a single function. It greatly solves the requirements of the site environment, two machines to one but not compromise on the function.
- Simplicity: On the basis of not sacrificing functionality, IFP series reduces the overall occupied area through structural design, so that more equipment can be arranged in the same area, which meets the needs of fitness practitioners for equipment diversity. And the overall structure is simple, reducing useless structures without affecting the maximum weight capacity, frequency of use, and intensity of use.





IFP1101 SEATED SHOULDER PRESS

PRODUCT DIMENSION (L×W×H)	1579×1520×1069 (mm) 62.2×59.8×42.1 (in)
PRODUCT WEIGHT	87 kg/191.8 lbs
MAX. WEIGHT CAPACITY	300 kg/661.4 lbs

Dual-position handle design to meet the needs of trainees with different arm spans and different shoulder press distances.

Inclined backrest to significantly reduce pressure on the lower back while in a seated position.

Pivot point height matched to the user's shoulder height, providing a more comfortable user experience and precise muscle stimulation.

Limited-range mechanism for the moving arm to control its range of motion, preventing overextension and ensuring exercise safety.



The height of the turning point matches the height of the user's shoulder, giving the user a more comfortable experience and precise stimulation of muscle groups.

Limit the use range of the lift-arm to avoid overextension.

The movable handle can meet the holding positions of users with different arm spans.

#### IFP1103 STANDING LATERAL RAISE

PRODUCT DIMENSION (L×W×H)	1165×885×1550 (mm) 45.9×34.8×61.0 (in)
PRODUCT WEIGHT	57.3 kg/126.3 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs





The convergent split-motion training track can better stimulate the pectoralis major muscles.



The height of the seat cushion is adjusted by the tooth plate, and it automatically rebounds with the back spring, which is more convenient to adjust and can be operated with one hand.



Limit the back side of the lift-arm to avoid overextension and ensure the safety of users.



Equipped with elastic strap hook. The elastic strap can be used to optimize the force line, and the user will not feel the loss of strength in the back path.

#### IFP1201 SEATED CHEST PRESS

PRODUCT DIMENSION	1276×984×1248 (mm)
$(L \times W \times H)$	50.2×38.7×49.1 (in)
PRODUCT WEIGHT	64.2 kg/141.5lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



The height of the turning point matches the height of the user's shoulder, giving the user a more comfortable experience and precise stimulation of muscle groups.

The movable handle can meet the holding positions of users with different arm spans.

Rigid connection to optimize the user's experience.

#### IFP1206 STANDING CHEST FLY

PRODUCT DIMENSION	1515×1310×1491 (mm)
$(L\times W\times H)$	59.6×51.6×58.7 (in)
PRODUCT WEIGHT	70 kg/154.3 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



The movable handle is ergonomically designed to make the wrist more comfortable during the pull-down.

Quick-release adjustment for the leg pad height, making the adjustment more convenient.

Rear limitation position for the moving arm to prevent overextension and ensure user safety.

#### IFP1301 LAT PULLDOWN

PRODUCT DIMENSION (L×W×H)	1703×1339×2047 (mm) 67.0×52.7×80.6 (in)
PRODUCT WEIGHT	95 kg/216.1 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



The height of the seat cushion is adjusted by the tooth plate, and it automatically rebounds with the back spring, which is more convenient to adjust and can be operated with one hand.



The diverging split-motion training track can better stimulate the muscles in the back.



Auxiliary pedals provide convenience for users to get on and off the equipment.

#### PRODUCT DIMENSION (L×W×H) 1470×1020×1340 (mm) 57.9×40.2×52.8 (in) PRODUCT WEIGHT 77.5 kg/170.9 lbs MAX. WEIGHT CAPACITY 200 kg/440.9 lbs

IFP1302 SEATED ROW




Dual-position handle design to meet the needs of trainees with different grip widths and arm spans.

Inclined pedal angle, designed with ergonomics in mind to provide optimal support and comfort for the user's feet.

Inner side of the pedal flips up, serving as a foot limitation feature for the user.

#### IFP1305 T-BAR ROW

PRODUCT DIMENSION	2079×908×635 (mm
$(L \times W \times H)$	81.9×35.7×25.0 (in)
PRODUCT WEIGHT	23 kg/50.7 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



The belt-connected resistance system follows the muscle strength curve, effectively stimulating the target muscles during the exertion process.

The inward angle of the handles is designed according to ergonomic principles.



The seat cushion is easily adjustable and can be operated with one hand.

#### IFP1501 BICEP CURL

PRODUCT DIMENSION	1302×707×988 (mm)
(L×W×H)	51.3×27.8×38.9 (in)
PRODUCT WEIGHT	56 kg/123.5 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



The leg pads are 360° adjustable and can be adjusted according to the ankles of users of different heights to meet various needs.



The connecting rod structure solves the phenomenon of losing power in the back of the trajectory, and better stimulates the target muscles in the whole process.

#### IFP1604 PRONE LEG CURL

PRODUCT DIMENSION (L×W×H)	1623×1202×798 (mm) 63.9×47.3×31.4 (in)
PRODUCT WEIGHT	75.9 kg/167.3 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



The automatic locking latch type back pad adjustment can be adjusted according to users of different heights, and can be operated with one hand, which is convenient to use.



The leg pads are 360° adjustable and can be adjusted according to the ankles of users of different heights to meet various needs.

#### IFP1605 SEATED LEG EXTENSION

PRODUCT DIMENSION (L×W×H)	1246×1173×995 (mm) 49.1×46.2×39.2 (in)
PRODUCT WEIGHT	63.4 kg/139.8 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



Equipped with starting handle, the position is convenient for users to operate, safe and reliable.

Multi-level safety limit provides multiple starting positions to meet the needs of users of different heights.

There are handles at the bottom and next to the foot pedal, which are convenient for users to get on and off the machine.

The back pad is angled to fit the angle of the body during the kick to avoid excessive backward pelvis.

#### IFP1613 VERTICAL LEG PRESS

PRODUCT DIMENSION	1655×1214×1711 (mm)
(L×W×H)	65.2×47.8×67.4 (in)
PRODUCT WEIGHT	110.4 kg/243.4 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



1615×1250×1032 (mm)

63.6×49.2×40.6 (in)

77.5kg/170.9 lbs

350 kg/771.6 lbs

PRODUCT DIMENSION

MAX. WEIGHT CAPACITY

PRODUCT WEIGHT

 $(L \times W \times H)$ 

Fixed armrests, users can hold on to stabilize the core muscles during training, and focus more on lower limbs.

The starting handle with the spring can automatically spring back after starting, providing convenience for users.

Multiple belt hanging points to meet the needs of users of different heights.

Equipped with fast buckle belt, easy for users to get on and off the machine.



The height of the leg pad can be adjusted for easy user access to the machine.

The leg pad can be adjusted both forward and backward, accommodating users of different heights and leg lengths.

The pedal angle is inclined and coated with non-slip paint.

Elastic band attachment points allow for maximum stimulation of the target muscle groups without loss of tension at the end of the range of motion.

#### IFP1616 VERTICAL HIP THRUST

PRODUCT DIMENSION (L×W×H)	1220×1098×1165 (mm 48.0×43.2×45.9 (in)
PRODUCT WEIGHT	67.5 kg/148.8 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



The back pad is divided into two pieces and is interlocked at an Angle to better fit the user's back, which is ergonomic and provides enough support for the user's back.

Meanwhile, the split back pad design is convenient for later maintenance and replacement.

The safety limit has two adjustable levels to meet the needs of users of different heights.

#### IFP1617 HACK SQUAT

PRODUCT DIMENSION (L×W×H)	1982×1485×1318 (mm) 78.0×58.5×51.9 (in)
PRODUCT WEIGHT	100.6 kg/221.8 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



The elbow pad sinks down, conforming to ergonomic design principles.

Equipped with foot pedals for easy user access to and from the machine.

Soft wrist straps distribute force evenly on the ankles, reducing pressure sensation.

#### IFP1619 REVERSE HYPEREXTENSION

PRODUCT DIMENSION	1310×797×1153 (mm)
$(L\times W\times H)$	51.6×31.4×45.4 (in)
PRODUCT WEIGHT	66 kg/145.5 lbs
MAX. WEIGHT CAPACITY	100 kg/220.5 lbs



It can perform standing abductor and sitting abductor training, and the fixed armrest can help users maintain body balance during sitting abductor training.

Extended leg pads to meet the needs of users of different heights.

The foot pedals have anti-slip textures and the edges are cuffed to protect the user's feet from slipping and falling out.

Equipped with auxiliary pedals, which is convenient for users to get on and off the machine.



The length and shape of the seat cushion are ergonomic.

The height of the leg pads can be adjusted to meet the needs of users of different heights.

The leg pads can swing back and forth slightly to enhance user comfort.

#### IFP1623 SEATED CALF RAISE

PRODUCT DIMENSION (L×W×H)	1368×566×849 (mm) 53.9×22.3×33.4 (in)
PRODUCT WEIGHT	38.5kg/84.9 lbs
MAX. WEIGHT CAPACITY	100 kg/220.5 lbs



Standard with short bar for bicep curl training.

The angle of the back pad is inclined to give the user enough back support.

The height of the seat cushion is adjusted by the tooth plate, and it automatically rebounds with the back spring, which is more convenient to adjust and can be operated with one hand.

#### IFP1706 BICEPS/TRICEPS

PRODUCT DIMENSION (L×W×H)	1092×708×1287 (mm) 43.0×27.9×50.7 (in)
PRODUCT WEIGHT	47.3 kg/104.3 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs

1720×595×1280 (mm) 67.7×23.4×50.4 (in)  $(L \times W \times H)$ 83.9kg/185.0 lbs PRODUCT WEIGHT MAX. WEIGHT CAPACITY 150 kg/330.7 lbs


STANDING HIP ABDUCTOR

PRODUCT DIMENSION



The shoulder pads are rounded and ergonomically designed to make the user's shoulders fit better.

Double-angled shoulder pads prevent the user's shoulders from sliding on the shoulder pads.



The starting handle cooperates with the spring to automatically rebound. After the user starts, the middle support structure automatically rebounds and is still within the controllable range of the user's hand.



The starting height can be adjusted to meet the needs of users of different heights.



The pedals are bent for calf training.

#### IFP1707 LEVERAGE SQUAT/CALF

PRODUCT DIMENSION	1490×1445×1550 (mm)
(L×W×H)	58.7×56.9×61.0 (in)
PRODUCT WEIGHT	115.5 kg/254.6 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



Both the foot pedal and shoulder pads can be folded and retracted with one hand to provide convenience for the user to switch between the Huck squat and reverse leg press functions.



The safety handles are easily accessible during use.



operated with one hand, which is convenient



#### IFP1721 HALF CAGE/SMITH MACHINE

PRODUCT DIMENSION	1404×1850×2343 (mm)
$(L \times W \times H)$	55.3×72.8×92.2 (in)
PRODUCT WEIGHT	77.5 kg/170.9 lbs
MAX. WEIGHT CAPACITY	250 kg/551.2 lbs

Multi-functional equipment, equipped with multiple-position pull-up handles to meet the user's needs for different exercises.

Smith machine with multiple attachment points, allowing users to start and stop the training at any height.

Equipped with smith machine safety stops to protect users from injuries due to bar disengagement.

Rail travel range accommodates floor exercises such as bent-over rows, deadlifts, and hip thrusts.


Front-side equipped with squat safety hooks and safety stops, meeting the user's training needs for free-weight squats.





PRODUCT DIMENSION 2634×1020×1373 (mm)  $(L \times W \times H)$ 103.7×40.2×54.1 (in) 150.5 kg/331.8 lbs PRODUCT WEIGHT 350 kg/771.6 lbs MAX. WEIGHT CAPACITY















#### IT7001 SMITH

PRODUCT DIMENSION (L×W×H)	2241×1326×2370 (mm) 88.2×52.2×93.3 (in)
PRODUCT WEIGHT	178 kg / 392 lbs
40'	58 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



#### **IT7002 SEATED PREACHER CURL**

PRODUCT DIMENSION (L×W×H)	919×803×882 (mm) 36.2×31.6×34.7 (in)
PRODUCT WEIGHT	41 kg / 90 lbs
40'	260 Sets



\* COLOR OPTIONAL.



#### IT7003 AB BENCH

PRODUCT DIMENSION (L×W×H)	1745×936×997 (mm) 68.7×36.9×39.3 (in)
PRODUCT WEIGHT	57 kg / 126 lbs
40'	110 Sets



#### IT7004 STRETCH

PRODUCT DIMENSION (L×W×H)	1274×552×997 (mm) 50.2×21.7×39.3 (in)
PRODUCT WEIGHT	35 kg / 77 lbs
40'	280 Sets



# IT7006 LEG PRESS/HACK SQUAT

PRODUCT DIMENSION	2253×975×1475 (mm)
$(L \times W \times H)$	88.7×38.4×58.1 (in)
PRODUCT WEIGHT	166.3 kg / 367 lbs
40'	66 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



#### **IT7005 SEATED CALF RAISE**

PRODUCT DIMENSION (L×W×H)	1356×751×831 (mm) 53.4×29.6×32.7 (in)
PRODUCT WEIGHT	50 kg / 110 lbs
40'	297 Sets
MAX. WEIGHT CAPACITY	100 kg / 220 lbs



#### IT7007 MULTI HYPEREXTENSION

PRODUCT DIMENSION (L×W×H)	1312×749×814 (mm) 51.7×29.5×32 (in)
PRODUCT WEIGHT	43.5 kg / 96 lbs
40'	231 Sets



#### **IT7019 INCLINE ROW**

PRODUCT DIMENSION (L×W×H)	1965×1009×1262 (mm) 77.4×39.7×49.7 (in)
PRODUCT WEIGHT	77.5 kg / 171 lbs
40'	140 Sets
MAX. WEIGHT CAPACITY	150 kg / 330 lbs



#### **IT7010 VERTICAL KNEE RAISE**

PRODUCT DIMENSION (L×W×H)	1131×781×1515 (mm) 44.5×30.7×59.6 (in)
PRODUCT WEIGHT	53 kg / 117 lbs
40'	160 Sets



#### IT7020 45 LEG PRESS

PRODUCT DIMENSION	2199×1016×1494 (mm)
$(L \times W \times H)$	86.6×40×58.8 (in)
PRODUCT WEIGHT	140.5 kg / 310 lbs
40'	71 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



#### IT7010EOPT CHIN-UP ATTACHMENT

DIMENSION	2299×930×660( mm )
(L×W×H)	90.5×36.6×26(in)
PRODUCT WEIGHT	30.5kg/67.3lbs



#### **IT7014 FLAT BENCH PRESS**

PRODUCT DIMENSION (L×W×H)	1657×1658×1373 (mm) 65.2×65.3×54.1 (in)
PRODUCT WEIGHT	82 kg / 181 lbs
40'	126 Sets



#### **IT70140PT SPOTTER STAND**

PRODUCT DIMENSION	661×442×262 (mm)
$(L \times W \times H)$	26.0×17.4×10.3 (in)
PRODUCT WEIGHT	25.1 kg/55.2 lbs
40'	680 Sets



#### **IT7015 INCLINE BENCH PRESS**

PRODUCT DIMENSION (L×W×H)	1632×1658×1373 (mm) 64.3×65.3×54.1 (in)
PRODUCT WEIGHT	106.5 kg / 235 lbs
40'	112 Sets



#### **IT7016 DECLINE BENCH PRESS**

PRODUCT DIMENSION	2103×1658×1370 (mm)
$(L \times W \times H)$	82.8×65.3×53.9 (in)
PRODUCT WEIGHT	87 kg / 192 lbs
40'	126 Sets



#### IT7013 MULTI AB BENCH

PRODUCT DIMENSION (L×W×H)	1738×725×899 (mm) 68.4×28.5×35.4 (in)
PRODUCT WEIGHT	42.5 kg / 94 lbs
40'	140 Sets







PRODUCT DIMENSION (L×W×H)	1200×748.6×426(mm) 47.2×29.5×16.8 (in)
PRODUCT WEIGHT	27.5 kg / 61 lbs
40'	220 Sets



#### IT7011 MULTI-ADJUSTABLE BENCH

PRODUCT DIMENSION	1212×750×465 (mm)
$(L\times W\times H)$	47.7×29.5×18.3 (in)
PRODUCT WEIGHT	40 kg / 88 lbs
40'	207 Sets





PRODUCT DIMENSION	1165×603×818 (mm)
$(L \times W \times H)$	45.9×23.7×32.2 (in)
PRODUCT WEIGHT	21.3 kg / 47 lbs
40'	308 Sets



#### **IT7030 ROMAN CHAIR**

DIMENSION	985×726×625 (mm)
$(L\times W\times H)$	38.8×28.6×24.6 (in)
PRODUCT WEIGHT	35kg/77.2lbs



#### IT7012 DUMBBELL RACK

PRODUCT DIMENSION	1508×814×938(mm)
$(L \times W \times H)$	59.4×32.0×36.9(in)
PRODUCT WEIGHT	71kg/156lbs
40'	140Sets



#### IT7018 DUMBBELL RACK

PRODUCT DIMENSION	1580×814×982 (mm)
$(L \times W \times H)$	62.2×32×38.7 (in)
40'	140 Sets



#### 

PRODUCT DIMENSION (L×W×H)	950×610×1220 (mm) 37.4×24×48 (in)
PRODUCT WEIGHT	26 kg / 57 lbs
40'	264 Sets



PRODUCT DIMENSION (L×W×H)	919×907×1612 (mm) 36.2×35.7×63.5 (in)
PRODUCT WEIGHT	68 kg / 150 lbs
40'	112 Sets



#### **IT7032 OLYMPIC BAR RACK**

DIMENSION	960×710×1086(mm)
(L×W×H)	37.8×28×42.8(in)
PRODUCT WEIGHT	47 kg/103.7 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



#### IT7031 SHOULDER BENCH PRESS

DIMENSION	1349×1126×1651( mm )
(L×W×H)	53.1×44.3×65( in )
PRODUCT WEIGHT	86.5 kg/190.9 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



DIMENSION	2000×1410×2185(mm)
$(L\times W\times H)$	78.7×55.5×86(in)
PRODUCT WEIGHT	199.4 kg/440 lbs
MAX. WEIGHT CAPACITY	200 kg/440 lbs









#### IFHC HALF CAGE

PRODUCT DIMENSION (L×W×H)	1681×1720×2090 (mm) 66.2×67.7×82.3 (in)
PRODUCT WEIGHT	100 kg / 221 lbs
40'	150 Sets



#### IFHCL HALF CAGE LAT ATTACHMENT

PRODUCT DIMENSION	1800×400×2100 (mm)
$(L \times W \times H)$	70.9×15.7×82.7 (in)
PRODUCT WEIGHT	41 kg / 90 lbs
40'	234 Sets



#### IFHCS HALF CAGE SMITH ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1946×300×1727 (mm) 76.6×11.8×68 (in)
PRODUCT WEIGHT	33 kg / 73 lbs
40'	425 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



PRODUCT DIMENSION	1452×1224×2129 (mm)
$(L\times W\times H)$	57.2×48.2×83.8 (in)
PRODUCT WEIGHT	55.5 kg / 122 lbs
40'	302 Sets



#### IFPC POWER CAGE

PRODUCT DIMENSION	1576×1256×2149 (mm)
$(L \times W \times H)$	62.0×49.4×84.6 (in)
PRODUCT WEIGHT	114 kg / 251 lbs
40'	90 Sets



PRODUCT DIMENSION	1212×945×2053 (mm)
$(L\times W\times H)$	47.7×37.2×80.8 (in)
PRODUCT WEIGHT	31.8 kg / 70 lbs
40'	420 Sets







IF45 45-DEGREE

HYPEREXTENSION







# IFAH ADJUSTABLE HYPEREXTENSION BENCH ROMAN CHAIR

PRODUCT DIMENSION (L×W×H)	1224×743×739 (mm) 48.2×29.3×29.1 (in)	PRODUCT DIMENSION (L×W×H)	1260×743×917 ( 49.6×29.3×36.1
PRODUCT WEIGHT	23.5 kg / 52 lbs	PRODUCT WEIGHT	36 kg / 79 lbs
40'	340 Sets	40'	360 Sets

# **IFRC**

PRODUCT DIMENSION (L×W×H)	1361×743×1091 (mm) 53.6×29.3×43 (in)
PRODUCT WEIGHT	30.5 kg / 67 lbs
40'	504 Sets





PRODUCT DIMENSION (L×W×H)	1303×526×490 (mm) 51.3×20.7×19.3 (in)
PRODUCT WEIGHT	19.5 kg / 43 lbs
40'	532 Sets



# **IFUB UTILITY BENCH**

PRODUCT DIMENSION (L×W×H)	862×596×874 (mm) 33.9×23.5×34.4 (in)
PRODUCT WEIGHT	12.7 kg / 28 lbs
40'	375 Sets



IFFI FLAT/INCLINE BENCH

)	PRODUCT DIMENSION (L×W×H)	1603×654×498 (mm 63.1×25.7×19.6 (in)
	PRODUCT WEIGHT	30 kg / 66 lbs
	40'	396 Sets



#### IFSPC SEATED PREACHER CURL

PRODUCT DIMENSION (L×W×H)	1021×712×870 (mm) 40.2×28×34.3 (in)
PRODUCT WEIGHT	24.7 kg / 54 lbs
40'	420 Sets



IFAAB ADJUSTABLE ABDOMINAL BENCH

PRODUCT DIMENSION (L×W×H)	1624×570×1115 (mm) 63.9×22.4×43.9 (in)
PRODUCT WEIGHT	24 kg / 53 lbs
40'	450 Sets



**IFAC** ABDOMINAL CRUNCH

PRODUCT DIMENSION (L×W×H)	1103×476×578 (mm) 43.4×18.7×22.8 (in)
PRODUCT WEIGHT	17 kg / 37 lbs
40'	697 Sets



**IFOB** OLYMPIC BENCH PRESS ARM CURL ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1439×1264×1086 (mm) 56.7×49.8×42.8 (in)
PRODUCT WEIGHT	62.5 kg / 138 lbs
40'	252 Sets



IFARMA

PRODUCT DIMENSION (L×W×H)	584×434×761 (mm) 23×17.1×30 (in)
PRODUCT WEIGHT	6.6 kg / 15 lbs
40'	840 Sets



IFLEGA LEG EXTENSION/CURL ATTACHMENT

PRODUCT DIMENSION (L×W×H)	539×426×470 (mm) 21.2×16.8×18.5 (in)
PRODUCT WEIGHT	7.3 kg / 16 lbs
40'	1728 Sets







# IFSTF STRETCH

PRODUCT DIMENSION $(L\times W\times H)$	1865×1730×2150 (mm) 73.4×68.1×84.6 (in)
PRODUCT WEIGHT	90 kg / 198 lbs
40'	112 Sets

IFPT POWER TOWER

PRODUCT DIMENSION (L×W×H)	1242×1316×2113 (mm) 48.9×51.8×83.2 (in)
PRODUCT WEIGHT	76.5 kg / 169 lbs
40'	245 Sets

IFSS SQUAT STAND

m)	PRODUCT DIMENSION (L×W×H)	1226×1575×1735 (mm) 48.3×62×68.3 (in)
_	PRODUCT WEIGHT	56.5 kg / 125 lbs
	40'	320 Sets



PRODUCT DIMENSION	1525×1310×1265 (mm)
$(L \times W \times H)$	60×51.6×49.8 (in)
PRODUCT WEIGHT	60.5 kg / 133 lbs
40'	154 Sets



IFOIB INCLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1560×1310×1395 (mm) 61.4×51.6×54.9 (in)
PRODUCT WEIGHT	68.5 kg / 151 lbs
40'	147 Sets



PRODUCT DIMENSION	2245×818×1298 (mm)
$(L\times W\times H)$	88.4×32.2×51.1 (in)
PRODUCT WEIGHT	162.5 kg / 358 lbs
40'	108 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs




IFFID MULTI-PURPOSE BENCH

PRODUCT DIMENSION (L×W×H)	1582×655×501 (mm) 62.3×25.8×19.7 (in)
PRODUCT WEIGHT	33 kg / 73 lbs
40'	417 Sets



IFODB DECLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1900×1310×1156 (mm) 74.8×51.6×45.5 (in)
PRODUCT WEIGHT	70 kg / 154 lbs
40'	154 Sets



#### IFLEGM LEG EXTENSION/CURL MACHINE

PRODUCT DIMENSION (L×W×H)	1055×1044×1053 (mm) 41.5×41.1×41.5 (in)
PRODUCT WEIGHT	51 kg / 112 lbs
40'	192 Sets



#### IFCR CALF RAISE

PRODUCT DIMENSION (L×W×H)	1207×559×1016 (mm) 43.3×22.0×40.0 (in)
PRODUCT WEIGHT	47.5 kg / 78 lbs
40'	520 Sets
MAX. WEIGHT CAPACITY	100 kg / 220 lbs




#### IFBR BARBELL RACK

PRODUCT DIMENSION	792×844×1380 (mm)
$(L\times W\times H)$	31.2×33.2×54.3 (in)
PRODUCT WEIGHT	43.7 kg / 96 lbs
40'	195 Sets



#### IFPTO PLATE TREE-OLYMPIC

PRODUCT DIMENSION	843×632×1108 (mm)
$(L\times W\times H)$	33.2×24.9×43.6 (in)
PRODUCT WEIGHT	19.5 kg / 43 lbs
40'	890 Sets





#### IFDB3 DUMBBELL RACK-3'

PRODUCT DIMENSION	1079×473×677 (mm)
$L\times W\times H$ )	42.5×18.6×26.7 (in)
PRODUCT WEIGHT	29 kg / 64 lbs
10'	600 Sets



#### IFDB4 DUMBBELL RACK-4'

PRODUCT DIMENSION	1372×475×869 (mm)
$(L \times W \times H)$	54×18.7×34.2 (in)
PRODUCT WEIGHT	35.3 kg / 78 lbs
40'	430 Sets



#### IFDB4A DUMBBELL RACK-4' ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1242×244×74 (mm) 48.9×9.6×2.9 (in)
PRODUCT WEIGHT	12 kg / 26 lbs
40'	1400 Sets



#### HG5 CABLE MOTION GYM


PRODUCT DIMENSION (L×W×H)	1451×1339×2132 (mm) 57.1×52.7×83.9 (in)
PRODUCT WEIGHT	195.9 kg / 431.9 lbs
40'	82 Sets
WEIGHT STACK	73 kg / 160 lbs





# IFFI5 BENCH


PRODUCT DIMENSION (L×W×H)	1380x490x441(mm) 54.3x19.3x17.3(in)
PRODUCT WEIGHT	25.7kgs/56.7lbs
MAX WEIGHT CAPACITY	200kg/441lbs



MULTI GYMS & DAP >> >



#### ES3000 3 STACK MULTI-STATION



Product Dimension	2694x2440x2148(mm)
(L×W×H)	106.1x96.1x84.6(in)
Product Weight	299.9kg/661.2lbs
Stacks Weight	91kgx3 (200lbsx3)
OPT Weight	26.5kg



#### **ES3000 OPT** HI-LO PULLEY ATTACHMENT

Quick installation, shares the stack with lat pull for saving space and cost. 31 vertical pulley positions for a large variety of different




Excellent structural design, easy & quick adjustment offers dynamic workout like chest press, incline press and shoulder press which meet various muscle groups training.


exercises.




Excellent structural design, easy & quick adjustment seat is for prone leg curls or leg extension exercises which satisfy various muscle groups.



Adjustable handle is conveniently located for easy access.



Hip Extension





198

Leg Extension

#### ES9030 DUAL ADJUSTABLE PULLEY ES7011 BENCH



Chin-up/pull-up bar with ergonomic bends for regular grip,wide grip and reverse grip exercises.

31 vertical pulley positions for a large variety of different exercises.

With accessories as lat strap, long bar retractable strap, leg ext/curl strap and tricep rope, DAP offers users dynamic and various workouts.

Multi-position bench offers 5 upright/incline positions for back pad and 3 position for seat, which satisfies various workout experience.

The over-sized feet would stabilize the users during certain workouts like tricep extension.

Conveniently located iPad holder allows user to watch online training videos during the workouts, over-sized bottle holder is within reach.



Fold away bench for easy storage and space saving



Product Dimension	1734x1123x2150(mm)
(L×W×H)	68.3x44.2x84.7(in)
Product Weight	149.5kg/328.9lbs
Stacks Weight	77kgx2 (170lbsx2)




#### ES9030(Short Shroud)


Product Dimension	1734x1123x2150(mm)
(L×W×H)	68.3x44.2x84.7(in)
Product Weight	121.5kg/267.3lbs
Stacks Weight	77kgx2 (170lbsx2)



#### ES7011

Product Dimension	1440x525x490(mm)
(L×W×H)	56.7x20.7x19.3(in)
Product Weight	34.3kg/75.6lbs







#### ES7030 DUAL ADJUSTABLE PULLEY





ES7030	
Product Dimension	1641x916x2142(mm)
$(L\times W\times H)$	64.6x36.1x84.3(in)
Stacks Weight	77kgx2 (170lbsx2)






























#### ES2100 Multi-Functional Trainer with Smith



#### ES2000 Multi-Functional Trainer with Smith (Plate Loaded)



Product Dimension	2007x1724x2126(mm)
(L×W×H)	79.01x67.87x83.70(in)
Product Weight	184kg/405.7lbs

ES2000/2100	Accessory			
Standard	POM Handle	Short Pole	Support Strap	Dip Arm
	Barbell Bar Storage	Ankle Strap	Double-ended Rope	Rowing Foot Pedal
Optional	ES2000OPT1 Pivot	ES2000OPT2 Foam Roller + Hi Pull-down Aluminum Rod		n Rod PTSHILO15000 Chop I

#### IF2060 2060 HOME GYM

PRODUCT DIMENSION	3585×2640×2120 (mm)
$(L \times W \times H)$	141.1×103.9×83.5 (in)
PRODUCT WEIGHT	442.8 kg / 976 lbs
40'	40 Sets
WEIGHT STACK	2×91 kg / 200 lbs



#### IFLP3 HOME GYM ATTACHMENT

PRODUCT DIMENSION	1990×1040×895 (mm)
(L×W×H)	78.3×40.9×35.2 (in)
PRODUCT WEIGHT	65 kg / 143 lbs
40'	220 Sets



IF1560+IFLP3



IF2060+IFLP3



#### IF1560 1560 HOME GYM

PRODUCT DIMENSION	2195×1235×2120 (mm)
(L×W×H)	86.4×48.6×83.5 (in)
PRODUCT WEIGHT	223 kg / 492 lbs
40'	68 Sets
WEIGHT STACK	91 kg / 200 lbs



PRODUCT DIMENSION (L×W×H)	2195×1275×2120 (mm) 86.4×50.2×83.5 (in)
PRODUCT WEIGHT	253.7 kg / 559 lbs
40'	60 Sets
WEIGHT STACK	91 kg / 200 lbs







#### IFFT FUNCTIONAL TRAINER

PRODUCT DIMENSION (L×W×H)	1662×1102×2122 (mm) 65.4×43.4×83.5 (in)
PRODUCT WEIGHT	336 kg / 741 lbs
40'	56 Sets
WEIGHT STACK	2×91 kg / 200 lbs



#### IFFTOPT MULTI-SELECT STABILIZER

PRODUCT DIMENSION (L×W×H)	1075×260×1120 (mm) 42.3×10.2×44 (in)
PRODUCT WEIGHT	17.3 kg / 38 lbs IFFT+IFFTOPT



HSP professional physical training equipment is a perfect solution of multiple and customized functional training needs. It is designed to improve strength, endurance, speed, power, agility and dynamic balance. It can meet different requirements of professional athletes, sports teams, physical training center and big commercial gyms.


#### HSP-PRO001 AIR RESISTANCE DUAL-ARM FUNCTIONAL TRAINER




The 5 LED windows design can accurately display the resistance level, training times(2 windows), peak power percentage and parameters, which is convenient for theuser to always grasp the training information to scientifically arrange the training plan



Depending on the height and movement of the trainer, the training arm can be adjusted in coronal plane (up and down) of 180° and at 13 gears. Unilateral horizontal level of both arms (front and rear) 90°, 7 gears adjustment, which is suitable for all heights and training types





with the change of force direction of the trainer, ensuring the comfort of the strength exertion and variable force direction need during the training process. Meanwhile, it can protect the cable and extend its service life



It can also expand a variety of accessories to cooperate with various special functional trainings, such as dual pull handle, ankle strap, training bat, training belt, thigh strap, tricep training rope, etc



Through easy-to-understand training guidelines, users can quickly master the training methods of major muscle groups



#### HSP-PRO002 AIR RESISTANCE FUNCTIONAL TRAINER



Multiple HSP-PRO002 equipment can be designed as a training area to meet the needs of multi-functional training for single trainer or multi-group training

HSP-PRO002
110V-220V
2kg-37.5kg
0.1kg
36
560×445×2340 (mm)
22.0×17.5×92.1 (in)
150kg/330.7lbs
Can be fixed to the floor or wall

## RE-LIFE

Hydraulic Strength Training Equipment



# RL Line >> >

In the face of such a busy pace of life, Impulse timely put forward the concept of 'light fitness', and explored how to exercise to 'win more with less effort', integrate exercise into your daily life and make it a wonderful enjoyment. Unlike conventional strength equipment, 'light fitness tends to listen to the voice of the heart.

Impulse RE-LIFE light fitness series is tailored for the urban white-collars and young women who love sports, as well as small studios and community gyms. Impulse named the series after RE-LIFE implying that customers can regain the vitality of the body and rebuild the quality of life by using this series of products.

The RE-LIFE series complements any traditional fitness scenario, suitable for users from almost all ages and fitness levels.

#### 8+X Flexible combinations, more possibilities

RE-LIFE series consists of 8 sets of hydraulic resistance training equipment which can be used for bidirectional constant speed operation and 1 set of stretching machine. 8 sets of hydraulic resistance training equipment can realize the function of 15 kinds of traditional strength equipment, and the stretching machine is helpful before and after exercise. Alternatively, depending on the user's needs, the stretching machine can be replaced with a BOSU ball for balance training, cardio pedals, or a HIIT SKI&ROW or ULTRA BIKE. Users of different ages and physical qualities can find their own training methods through the flexible combination of 8+X.

\* SKI&ROW and ULTRA BIKE are products of Impulse.







#### Ultimate User Experience Design Driven Products Environment Friendly




The dual-position handle design ensures that the user always finds the perfect posture.



The selection of upholstery is soft, comfortable and elastic, making it more skin-friendly during training and reducing wear. The multifunctional holder allows you to take water cup or mobile phone at your fingertips.



Adjustable hydraulic resistance makes adjustment more refined with eye-catching knob design.



Concise modeling design can save half of the storage and transportation space compared with conventional equipment, the built-in transport wheel design makes it easier to move.



The resistance adapts itself and can stop the movement at any time to reduce the injury risk. In addition, the integrated stable adjusting device can easily adjust the horizontal stability of the product.



Optional painting and upholstery color. (Terms and conditions applied)



RL8101 CHEST PRESS/ROW

PRODUCT DIMENSION (L×W×H)	818×737×1260 (mm) 32.2×29.0×49.6 (in)	
PRODUCT WEIGHT	40.4kg/89.1lbs	



RL8102 OVERHEAD PRESS/PULLDOWN TRICEPS EXTENSION

PRODUCT DIMENSION (L×W×H)	1120×1000×1296 (mm) 44.1×39.4×50.0 (in)
PRODUCT WEIGHT	45.5kg/100.3lbs



**RL8103 BICEPS CURL** 

PRODUCT DIM (L×W×H)	IENSION	1178×736×859 (mm) 46.4×19.0×33.8 (in)
PRODUCT WE	IGHT	32.2kg/71lbs



RL8104

PRODUCT DIMENSION (L×W×H)	1139×895×1286 (mm) 44.8×35.2×50.6 (in)
PRODUCT WEIGHT	48.6kg/107.1lbs



PEC FLY/REAR DELTOID LEG EXTENSION/LEG CURL Ab CRUNCH/BACK EXTENSION

PRODUCT DIMENSION (L×W×H)	1174×830×1260 (mm) 46.2×32.7×49.6 (in)
PRODUCT WEIGHT	51.8kg/114.2lbs



PRODUCT DIMENSION 1097×842×1165 (mm)  $(L\times W\times H)$ 43.2×33.1×45.9 (in) PRODUCT WEIGHT 44.2kg/97.4lbs



RL8108 HIP ABDUCTION/ADDUCTION

PRODUCT DIMENSION 1122×737×1260 (mm) (L×W×H) 44.2×29.0×49.6 (in)	PRODUCT WEIGHT	51.6kg/113.8lbs



LEG PRESS


PRODUCT DIMENSION	1737×737×1260 (mm)
(L×W×H)	68.4×29.0×49.6 (in)
PRODUCT WEIGHT	71kg/156.5lbs




PRODUCT DIMENSION 1377×755×1237 (mm)  $(L \times W \times H)$ 54.2×29.7×48.7 (in) PRODUCT WEIGHT 37kg/81.6lbs

# Mega Space Line >> >

Mega Space products are a specialist, more functional and customized rack strength product solution for strength and conditioning venues. The products can meet the needs of competitive training centers, large commercial clubs and professional studios for professional olympic strength training equipment.



	Shape	Package		Shape	Package	
01		2×MS00 STAND-SINGLE STORAGE  2×MS11 LAT PULLDOWN/VERTICAL ROW  2×MS12 FUNCTIONAL CABLE PULLEY  1×MS21/22 RACK CONNECTED BRIDGE	12		2×MS00 STAND-SINGLE STORAGE 4×MS01 HALF RACK 1×MS21/22 RACK CONNECTED BRIDGE	
02		2×MS00 STAND-SINGLE STORAGE  2×MS01 HALF RACK  2×MS11 LAT PULLDOWN/VERTICAL ROW  2×MS12 FUNCTIONAL CABLE PULLEY  1×MS21/22 RACK CONNECTED BRIDGE	13		2×MS00 STAND-SINGLE STORAGE 4×MS02 POWER RACK 1×MS21/22 RACK CONNECTED BRIDGE	
03		2×MS00 STAND-SINGLE STORAGE 2×MS02 POWER RACK 2×MS11 LAT PULLDOWN/VERTICAL ROW 2×MS12 FUNCTIONAL CABLE PULLEY 1×MS21/22 RACK CONNECTED BRIDGE	14		2×MS00 STAND-SINGLE STORAGE  4×MS01 HALF RACK  MS23 BUMPER PLATE STORAGE  CONNECTOR BETWEEN RACK  MS24 KETTLEBELL STORAGE  CONNECTOR BETWEEN RACK	
04		1×MS00 STAND-SINGLE STORAGE 1×MS01 HALF RACK			MS25 BALL STORAGE CONNECTOR BETWEEN RACK MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK	
05		1×MS00 STAND-SINGLE STORAGE 1×MS02 POWER RACK			2×MS00 STAND-SINGLE STORAGE 4×MS02 POWER RACK	
06		2×MS00 STAND-SINGLE STORAGE 2×MS01 HALF RACK 1×MS21/22 RACK CONNECTED BRIDGE	15		MS23 BUMPER PLATE STORAGE CONNECTOR BETWEEN RACK MS24 KETTLEBELL STORAGE CONNECTOR BETWEEN RACK	
		2×MS00 STAND-SINGLE STORAGE 2×MS01 HALF RACK			MS25 BALL STORAGE CONNECTOR BETWEEN RACK MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK	
		MS23 BUMPER PLATE STORAGE CONNECTOR BETWEEN RACK MS24 KETTLEBELL STORAGE CONNECTOR BETWEEN RACK MS25 BALL STORAGE CONNECTOR BETWEEN RACK MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK	16		2×MS00 STAND-SINGLE STORAGE  4×MS02 POWER RACK  2×MS11 LAT PULLDOWN/VERTICAL ROW  1×MS22 RACK CONNECTED BRIDGE	
		2×MS00 STAND-SINGLE STORAGE 2×MS02 POWER RACK 1×MS21/22 RACK CONNECTED BRIDGE	17		2×MS11 LAT PULLDOWN/VERTICAL ROW 2×MS12 FUNCTIONAL CABLE PULLEY 1×MS29 CENTRAL CONNECTED STAND	
09		2×MS00 STAND-SINGLE STORAGE  2×MS02 POWER RACK  MS23 BUMPER PLATE STORAGE  CONNECTOR BETWEEN RACK  MS24 KETTLEBELL STORAGE  CONNECTOR BETWEEN RACK	18		2×MS11 LAT PULLDOWN/VERTICAL ROW  4×MS12 FUNCTIONAL CABLE PULLEY  1×MS28 MULTI STATION CONNECTED BRIDGE  2×MS29 CENTRAL CONNECTED STAND  2×HSPCF28 MULTI ANGLE PULL UP HANDLE	
	HKb-1	MS25 BALL STORAGE CONNECTOR BETWEEN RACK MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK			4×MS11 LAT PULLDOWN/VERTICAL ROW	
	#	1×MS00 STAND-SINGLE STORAGE 2×MS01 HALF RACK	19	19	TO THE REAL PROPERTY.	4×MS12 FUNCTIONAL CABLE PULLEY 1×MS28 MULTI STATION CONNECTED BRIDGE 2×MS29 CENTRAL CONNECTED STAND
11		1×MS00 STAND-SINGLE STORAGE 2×MS02 POWER RACK			2×HSPCF28 MULTI ANGLE PULL UP HANDLE	



#### MS00 STAND-SINGLE STORAGE

PRODUCT DIMENSION (L×W×H)	1790×609×2614 (mm) 70.5×24.0×103.0 (in)
PRODUCT WEIGHT	83.4kg/183.9lbs



#### MS01 HALF RACK

PRODUCT DIMENSION (L×W×H)	1377×1261×2614 (mm) 54.2×49.6×103.0 (in)
PRODUCT WEIGHT	98.3kg/216.7lbs



MS02 POWER RACK

PRODUCT DIMENSION (L×W×H)	1377×2306×2614 (mm) 54.2×90.8×103.0 (in)
PRODUCT WEIGHT	173kg/381.4lbs



#### MS11 LAT PULLDOWN/ VERTICAL ROW

PRODUCT DIMENSION (L×W×H)	1226×2160×2596 (mm) 48.3×85.0×102.2 (in)
PRODUCT WEIGHT	101.7kg/224.2lbs
WEIGHT STACK	295lbs



#### MS12 FUNCTIONAL CABLE PULLEY

PRODUCT DIMENSION (L×W×H)	496×1313×2599 (mm) 19.5×51.7×102.3 (in)
PRODUCT WEIGHT	51.7kg/114.0lbs
WEIGHT STACK	295lbs



#### MS15 ENDLESS ROPE TRAINER

PRODUCT DIMENSION	527×266×537 (mm)
$(L \times W \times H)$	20.7×10.5×21.1 (in)
PRODUCT WEIGHT	32.9kg/72.5lbs



MS13 JAMMER ARM

L.W.H	1395×875×369 (mm)
	54.9×34.4×14.5 (in)
N.W	51kg/112.4lbs



MS14 **BELT SQUAT** 

	- £ -,
L.W.H	1112×550×677 (mm)
	43.8×21.7×26.7 (in)
N.W	21.8kg/48.1lbs
	L.W.H



MS22 RACK MS21 RACK CONNECTED BRIDGE

NECTED BRIDGE	CONNECTED BR		
240×2056×192 (mm)	L.W.H	240×2756×192	
9.4×80.9×7.6 (in)		9.4×108.5×7.6 (	
17.3kg/38.1lbs	N.W	21.4kg/47.2lbs	
	240×2056×192 (mm) 9.4×80.9×7.6 (in)	9.4×80.9×7.6 (in)	



H.	240×2756×192 (mm) 9.4×108.5×7.6 (in)	L.W.H	145×3000×76.2(mm) 5.7×118.1×3 (in)
	21.4kg/47.2lbs	N.W	28.5kg/62.8lbs







#### MS23 BUMPER PLATE MS24 KETTLEBELL STORAGE CONNECTOR STORAGE CONNECTOR BETWEEN RACK) BETWEEN RACK

L.W.H 441×2120×107 (mm) L.W.H 385×2120×286 (mm) 17.4×83.5×4.2 (in) 15.2×83.5×11.3 (in) N.W 20.1kg/44.3lbs N.W 37.5kg/82.7lbs

MS27 MS26 DUMBBELL MS25 BALL STORAGE CONNECTOR BETWEEN STORAGE CONNECTOR SIDE STORAGE RACK BETWEEN RACK

L.W.H	2120×385×108 (mm) 83.5×15.2×4.3 (in)	L.W.H	2120×385×108 (mm) 83.5×15.2×4.3 (in)	L.W.H	995×416×763 (mm 39.2×16.4×30.0 (in)
N.W	15kg/33.1lbs	N.W	24kg/52.9lbs	N.W	30.8kg/67.9lbs





MS704002

**BUMPER** 





MS704001	
STORAGE RACK	
FRAM	

FRAI	M	PLATE STORAGE		
L.W.H	1559×865×210 (mm) 61.4×34.1×8.3 (in)	L.W.H	2023×385×347 (mm 79.6×15.2×13.6 (7in)	
N.W	20.2kg/44.5lbs	N.W	20kg/44.1lbs	

MS704003 KETTLEBELL STORAGE

3101	MAGL
L.W.H	2023×441×108 (mm)
	79.6×17.4×4.3 (in)
N.W	36.8kg/81.1lbs

#### MS704004 BALL STORAGE

310	KAGE
L.W.H	2023×385×108 (mm)
	79.6×15.2×4.3 (in)
N.W	14.9kg/32.8lbs

#### MS704005 DUMBBELL STORAGE

n)	L.W.H	2023×385×108 (mm)
333		79.6×15.2×4.3 (in)
	N.W	25kg/55.1lbs





L.W.H	2614×160×160 (mm)	L.W.H	1340×400×77 (mm)
	102.9×6.3×6.3 (in)		52.8×15.7×3.0 (in)
W.V	17.1kg/37.7lbs	N.W	20kg/44.1lbs
			4-029





UTILI	TY PIN	
L.W.H	590(mm)	
	23.2 (in)	
N.W	6.8kg/15lbs	



MS44 BARBELL/ STORAGE ATTACHMENT

L.W.H	280×240×180 (mm)
	11.0×9.4×4.3 (in)
N.W	6kg/13.2lbs



MS45 FOAM ROLLER PAD

L.W.H	559(mm)
	22.0 (in)
N.W	7.3kg/16.1lbs



MS50 LOGO

L.W.H 325×101×50 (mm) 12.8×4.0×2.0 (in)



MS7041 BARBELL LIFTER

L.W.H	781×618×905 (mm)
	30.7×24.3×35.6 (in)
N.W	11.2kg/24.7lbs



MS7042 FARMER'S WALK BAR

1440×169×76 (mm)	
56.7×6.7×3.0 (in)	
15.2kg/33.5lbs	



MS7043 T-BAR ROW HANDLE

L.W.H	908×257×205 (mm)
	35.7×10.1×8.1 (in)
N.W	4.4kg/9.7lbs




MS7048 **POWER SLED** 

L.W.H	1040×702×922 (mm)
	40.9×27.6×36.3 (in)
N.W	27.9kg/61.5lbs



IZCFA16 HEAVY





IZCFA12 WALL **BALL TARGET** 

1)	L.W.H	550×245.7×608 (mm
		21.7×9.7×23.9 (in)
	N.W	17.6kg/38.8lbs



HSPCF28 MULTI ANGLE PULL UP HANDLE

m)	L.W.H	1143×324×109 (mm
2000		45×12.8×4.3 (in)
	N.W	12.8kg/28.2lbs



HSPCF29 **TRIPHASIC** TRAINING ARM

9 (mm)	L.W.H	1081×721×105 (mm
in)		42.6×28.4×4.1 (in)
	N.W	32kg/70.5lbs



HSPCF42 TRICEP DIP ATTACHMENT

L.W.H	649×728×167 (mm)	
	25.6×28.7×6.6 (in)	
N.W	10.1kg/22.3lbs	



**BAND ANCHOR** 

V.H	649×728×167 (mm)	L.W.H	
	25.6×28.7×6.6 (in)		
V	10.1kg/22.3lbs	N.W	
			h



HSPCF47 RESISTANT HSPCF49 SAFETY STRAPS

L.W.H	305(mm)	
	12.0 (in)	
N.W	6.2kg/13.7lbs	



L.	W.H	1150×50×10 (mm)
		45.3×2.0×0.4 (in)
N	.W	10.1kg/22.3lbs



ROPE ANCHOR

L.W.H	70×152×180 (mm)
	2.8×6.0×7.1 (in)
N.W	2.1kg/4.6lbs



HSPCF51 BATTLE HSPCF52 LANDMINE **RACK ATTACHMENT** 

L.W.H	126×530×240 (mm)
	5.0×20.9×9.4 (in)
N.W	8kg/17.6lbs





HSPCF54 J HOOK ATTACHMENT

L.W.H	296×224×224 (mm)
	11.7×8.8×8.8 (in)
N.W	6.8kg/15.0lbs



HSPCF59 BALL GRIP ATTACHMENT

ACCOUNT OF THE PARTY.	321/207/443×209×76(mm
	12.6/8.1/17.4×8.2×3.0 (in)
N.W	7.8kg/17.2lbs
	N.W



MS31/SE5031 **PLATEFORMS** 

L.W.H	2446×3421×50 (mm
	96.3×134.7×2.0 (in)
N.W	263.5kg/580.9lbs



MS32/HSPCF35 **PLATEFORMS** 

L.W.H	2576×3825×54 (mm)
	101.4×150.6×2.1 (in)
N.W	280kg/617.3lbs

# FF Line >> >

Thoughtful design: The product is made with high-quality materials and exquisite craftsmanship.

The vertical columns and crossbeams are constructed using 3mm thick tubes to ensure sturdiness and durability, meeting the high-intensity demands of commercial environments.

Multi-functionality: The versatile FF series offers not only a variety of configurations for different types of functional training to help you achieve diverse fitness goals, but also seamlessly integrates storage functionality into the product.

With multiple storage compartments, it ensures your workout area remains neat and organized, maximizing space utilization at all times.

The storage shelf can be installed at a 27-degree angle, adding both aesthetic appeal and convenient access to various accessories.

The Center-based design concept involves anchoring in the middle of the space, requiring only a connection to the floor.

This maximizes the position for suspended multi-functional training and accommodates more individuals for training.

\*All accessories shown in the image, such as dumbbells, kettlebells, medicine balls, barbells, sandbags, resistance bands, etc., are for demonstration purposes only.

The actual product does not come with such accessories.

Discover the perfect fusion of functionality and storage! We proudly present our latest product, a revolutionary combination of functional training and storage rack functionality. Welcome to experience this innovative product that will bring endless possibilities to your fitness space!

FF stands out with its unique design and multifunctionality. It not only offers an efficient area for functional training but also cleverly incorporates storage rack capabilities. By connecting extension module, you can extend it endlessly to the right, creating a spacious storage rack and an infinite functional training area.


Flexible extension: With the ability to connect the Extension Module, you can effortlessly extend the product to the right, creating storage racks and functional training areas of various sizes based on your space requirements.


for the use and storage of resistance
bands and other training straps,
allowing you to adjust their positions
according to your preferences
for added convenience.

The spacing between the main upright holes is 100mm. You can adjust the positions and heights of storage shelves, hooks, and other accessories according to your specific usage scenarios.

The Wall-based design concept aims to maximize space utilization by requiring connections to both the wall and the floor.

This provides additional storage space while also offering the potential for more multi-functional training opportunities.






FF02 BACK RACK

FF1013 BACK

RACK EXTENSION



+FF52+FF53









FF1013 BACK RACK EXTENSION STORAGE POST

L.W.H	345×270×2380 (mm) 13.6×10.6×93.7 (in)
N.W	62.5kg/137.8lbs



ł	2338×675×1016 (mm)
	92.0×26.6×91.9 (in)
	190kg/418.9lbs



FF23 TRAINING PLATE STORAGE

L.W.H	1555×370×251 (mm) 61.2×14.6×9.9 (in)
N.W	12.1kg/26.7lbs



KETTLEBELL

STORAGE

FF24 DUMBBELL FF25 BALL STORAGE

L.W.H	1555×465×74 (mm) 61.2×18.3×2.9 (in)	L.W.H	1555×230×70 (mr 61.2×9.1×2.8 (in)
N.W	20.6kg/45.4lbs	N.W	7.1kg/15.7lbs



FF44 BARBELL STORAGE

L.W.H	236×194×200 (mm) 10.4×7.6×7.9 (in)
N.W	3.6kg/7.9lbs



FF46 WALL BALL TARGET

L.W.H	450×355×821 (mm) 17.7×14.0×32.3 (in)	
N.W	16kg/35.3lbs	



FF52 LANDMINE RACK ATTACHMENT

L.W.H	380×200×100 (mm) 15.0×7.9×3.9 (in)
N.W	3.3kg/7.3lbs



FF53 VERTICAL DUMBBELL STORAGE

L.W.H	1070×260×140 (mm) 42.1×10.2×5.5 (in)
N.W	9.8kg/21.6lbs

The bench locking accessory can be fixed to the locking points and make sure the

φ32\*3(mm) pull-up handle with comfortable knurling to improve training experience 2 Olympic bar positions and Fully welded pillars with 16 height 4 accessories options. Laser cut adjusting positions grooves and height indicators are convenient to use TPU material safety Dual J-hooks are covered with ABS bumper can protect protection plates to reduce damage Olympic bar from and noise. A small window can damage and reduce show the height numbers. noise, as well as to Double side hooks are easy securetraining safety to move and access bench is inthe center to secure its stability. 8 elastic band connection points to provide more training possibilities and improve training result Optional 76.2mm training platform has two sizes of 6ft x 8ft and 8ft x 8ft

to fit different environments. Hardwood surface is anti-slippery so that higher friction can keep providing stable support. Thick rubber mat can absorb the impact to reduce noise and protect the floor

Shape	Optional Accessory Package	Product Dimension
HSPR01-HALF RACK	HSP7011 ADJUSTABLE DOCK' N LOCK BENCH HSPR21 RACK CONNECTOR-MULTI-GRIP HSPR31 PLATFORM(6FT*8FT) HSPR41 STEP ATTACHMENT HSPR42 DIP ATTACHMENT HZ7008 BATTLE ROPE ATTACHMENT IZ7012 PIVOT SE5043 SPOTTER STANDS	1750×1470×2480(mm) 68.9×57.9×97.6(in)
HSPR02-POWER RACK	HSP7011 ADJUSTABLE DOCK' N LOCK BENCH HSPR21 RACK CONNECTOR-MULTI-GRIP HSPR32 PLATFORM(8FT*8FT) HSPR41 STEP ATTACHMENT HSPR42 DIP ATTACHMENT HZ7008 BATTLE ROPE ATTACHMENT IZ7012 PIVOT SE5043 SPOTTER STANDS	2085×1750×2480(mm) 82.1×68.9×97.6(in)
HSPR03-DOUBLE HALF RACK	HSP7011 ADJUSTABLE DOCK' N LOCK BENCH HSPR21 RACK CONNECTOR-MULTI-GRIP HSPR31 PLATFORM(6FT*8FT) HSPR41 STEP ATTACHMENT HSPR42 DIP ATTACHMENT HZ7008 BATTLE ROPE ATTACHMENT IZ7012 PIVOT SE5043 SPOTTER STANDS	2595×1750×2480(mm) 102.2×57.9×97.6(in)



#### HSPR31 PLATFORM(6FT\*8FT)

PRODUCT DIMENSION	3140×2560×76.2 (mm)	
	123.6×100.8×3.0 (in)	
PRODUCT WEIGHT	263.5kg/580.9lbs	



#### HSPR32 PLATFORM(8FT\*8FT)


PRODUCT DIMENSION	4355×2560×76.2 (mm)	
	171.5×100.8×3.0 (in)	
PRODUCT WEIGHT	263.5kg/580.9lbs	





**Group Functional Training Solutions** 









	Shape	Package	Product Dimension	Optional Accessory Package
IZ-S		IZ7001 Stretching Station IZ7003 Rebounder Station IZ7011 S-joint	3250×1120×2364(mm) 128×44.1×93.1(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-I		IZ7001 Stretching Station IZ7002 Boxing Station IZ7008 Stair-1	4794×1654×2446(mm) 188.7×65.1×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-L		IZ7001 Stretching Station IZ7002 Boxing Station IZ7003 Rebounder Station IZ7008 Stair-1 IZ7011 S-joint	4794×3250×2446(mm) 188.7×128×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-T		IZ7003 Rebounder Station IZ7004 Power Rack Station IZ7005 DAP Station IZ7006 Connector IZ7007 Stair-2	4694×3139×2446(mm) 184.8×123.6×96.3(in)	IZ7012 Pivot Kettlebell, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-O		IZ7001 Stretching Station IZ7002 Boxing Station IZ7003 Rebounder Station IZ7005 DAP Station IZ7014 Stair-3	3637×3630×2446(mm) 141.3×136.7×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-H		IZ7001 Stretching Station IZ7002 Boxing Station IZ7003 Rebounder Station IZ7005 DAP Station IZ7015 Stair-4	4137×2880×2449(mm) 162.9×113.4×96.4(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-X		IZ7002 Boxing Station IZ7003 Rebounder Station IZ7004 Power Rack Station IZ7005 DAP Station IZ7006 Connector IZ7007 Stair-2×2	7489×3139×2446(mm) 294.8×123.6×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.






















































### Impulse Cardiovascular Equipment Limited Warranty

Description	Warranty
Frame	7 Years
Treadmill AC Motor	3 Years
Treadmill DC Motor, Structural Moving Parts	2 Years
Display PCB, Motor Controller,	
Generator, EMS, ECB Brake	2 Years
Key Pad, Durable Wear Parts	1 Year

### Impulse Strength Training Equipment Limited Warranty

Description	Warranty
Structural Steel Frame	Lifetime
Rotary Bearings, Weight Stacks, Pulleys,	
Guide Rods, Structural Moving Parts	2 Years
Cable, Linear Bearings, Springs	1 Year
Upholstery, Handgrips, All Other	
Items Not Listed	6 Months

<sup>\*</sup> Conditions and Restrictions Applied.

